

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1	30000301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2	30002601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
3	30003301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
4	30004001	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
5	30004901	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
6	30007701	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
7	30009501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
8	30011901	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
9	30012201	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
10	30012301	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
11	30018201	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
12	30018401	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
13	30020101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
14	30022701	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
15	30026501	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
16	30027001	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
17	30027101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
18	30029001	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
19	30029101	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
20	30031901	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
21	30038101	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
22	30040301	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
23	30040401	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
24	30042801	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
25	30044501	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
26	30044601	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
27	30044701	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
28	30044901	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
29	30049601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
30	30054501	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
31	30058001	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
32	30060001	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
33	30060201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
34	30060801	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
35	30064601	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
36	30068501	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
37	30069001	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
38	30069602	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
39	30073101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
40	30073201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
41	30080801	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
42	30081501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
43	30084401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
44	30084601	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
45	30085601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
46	30094301	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
47	30094401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
48	30094801	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
49	30096201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
50	30096501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
51	30096601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
52	30098501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
53	30099201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
54	30099301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
55	30100801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
56	30101001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
57	30102201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
58	30105101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
59	30106901	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
60	30107901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
61	30109301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
62	30109901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
63	30110701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
64	30111401	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
65	30111701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
66	30113801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
67	30113901	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
68	30115001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
69	30115101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
70	30116401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
71	30118701	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
72	30128102	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
73	30128901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
74	30129801	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
75	30132101	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
76	30138501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
77	30140601	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
78	30152101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
79	30158501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
80	30161001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
81	30165001	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
82	30176701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
83	30181101	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
84	30181201	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
85	30183701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
86	30192101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
87	30193601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
88	30200001	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
89	30200901	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
90	30201101	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
91	30201601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
92	30201901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
93	30204901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
94	30211901	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
95	30212301	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
96	30212601	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
97	30217301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
98	30218101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
99	30218201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
100	30218301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
101	30218501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
102	30220501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
103	30221901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
104	30222001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
105	30222101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
106	30233701	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
107	30238501	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
108	30238801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
109	30242501	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
110	30244701	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
111	30251101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
112	30251201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
113	30251401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
114	30261001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
115	30263801	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
116	30264001	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
117	30264101	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
118	30268901	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
119	30270001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
120	30274301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
121	30275801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
122	30275901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
123	30277201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
124	30277701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
125	30279001	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
126	30282201	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
127	30287901	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
128	30289201	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
129	30292601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
130	30298301	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
131	30298401	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
132	30304101	35	10,932	35	10,698	35	11,323	35	11,154	35	11,274	35	11,373	35	11,382	35	11,388	35	11,263	35	11,155	35	11,409	35	11,168
133	30306301	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
134	30307001	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
135	30308001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
136	30310301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
137	30310401	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
138	30311501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
139	30311601	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
140	30312301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
141	30312601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
142	30313001	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
143	30314101	188	10,903	188	10,884	188	10,903	188	10,812	188	11,063	188	10,919	188	10,798	188	10,833	188	10,977	188	10,999	188	10,786	188	10,867
144	30317801	237	10,636	237	10,63	269	10,972	237	10,538	269	11,002	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	269	11,023
145	30321901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
146	30322801	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
147	30325101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
148	30328501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
149	30328702	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
150	30328901	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
151	30329101	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
152	30331601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
153	30332101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
154	30332501	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
155	30333001	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
156	30333701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
157	30333801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
158	30334601	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
159	30338201	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
160	30339101	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
161	30339201	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
162	30339501	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
163	30339601	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
164	30339801	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
165	30340801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
166	30341101	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
167	30343501	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
168	30343901	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
169	30344401	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
170	30345201	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
171	30346101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
172	30347701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
173	30347901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
174	30348201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
175	30348301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
176	30348401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
177	30348601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
178	30348701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
179	30348801	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
180	30349701	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
181	30350101	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
182	30350701	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
183	30353801	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
184	30353901	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
185	30356101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
186	30359901	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
187	30361401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
188	30363501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
189	30363601	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
190	30363801	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
191	30364801	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
192	30365501	237	10,636	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
193	30365701	237	10,636	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
194	30366801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
195	30367501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
196	30368301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
197	30368701	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
198	30370701	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
199	30372001	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
200	30373601	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
201	30375001	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
202	30375501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
203	30376601	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
204	30377201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
205	30378201	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
206	30381701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
207	30381801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
208	30383301	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
209	30383501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
210	30384101	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
211	30384201	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
212	30384501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
213	30384601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
214	30384801	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
215	30384901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
216	30388601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
217	30388701	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
218	30389101	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
219	30389901	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
220	30390501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
221	30392401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
222	30392801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
223	30393301	182	10,906	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
224	30394401	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
225	30395401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
226	30395901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
227	30397401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
228	30398101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
229	30398401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
230	30409201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
231	30411501	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
232	30415701	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
233	30419201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
234	30423801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
235	30430001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
236	30433801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
237	30434501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
238	30435001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
239	30438201	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
240	30438301	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
241	30439101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
242	30443901	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
243	30444301	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
244	30444401	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
245	30447201	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
246	30453001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
247	30454701	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
248	30461201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
249	30462401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
250	30462501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
251	30462801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
252	30468101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
253	30470101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
254	30470601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
255	30472501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
256	30472701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
257	30472801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
258	30473001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
259	30473201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
260	30475301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
261	30475501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
262	30484101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
263	30488301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
264	30488401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
265	30492501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
266	30492601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
267	30492701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
268	30494401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
269	30496001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
270	30498601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
271	30499701	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
272	30503301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
273	30509801	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
274	30509901	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
275	30510101	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
276	30513401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
277	30513901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
278	30515201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
279	30516101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
280	30516201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
281	30516301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
282	30517201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
283	30528401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
284	30535301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
285	30535401	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
286	30535501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
287	30536601	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
288	30536701	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
289	30536801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
290	30538601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
291	30538701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
292	30545801	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
293	30545901	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
294	30552301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
295	30553301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
296	30557101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
297	30557401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
298	30561701	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
299	30566301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
300	30566501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
301	30568001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
302	30569801	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
303	30570301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
304	30571501	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
305	30573901	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
306	30574801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
307	30575001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
308	30575501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
309	30575601	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
310	30576101	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
311	30576201	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
312	30576301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
313	30576501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
314	30577001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
315	30578501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
316	30581801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
317	30582501	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
318	30589301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
319	30589501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
320	30590801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
321	30591801	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
322	30592601	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
323	30593801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
324	30594101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
325	30599301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
326	30600101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
327	30601201	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
328	30601301	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
329	30603101	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
330	30605701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
331	30618501	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
332	30620401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
333	30620501	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
334	30620601	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
335	30621401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
336	30622901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
337	30629601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
338	30634301	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
339	30635901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
340	30641001	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
341	30641901	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
342	30642701	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
343	30643301	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
344	30643401	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
345	30644101	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
346	30644501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
347	30650201	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
348	30650601	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
349	30654901	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
350	30656001	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
351	30658301	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
352	30658401	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
353	30659301	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
354	30660201	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
355	30661801	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
356	30662201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
357	30662701	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
358	30663101	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
359	30665701	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
360	30666201	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
361	30666701	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
362	30666801	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
363	30666901	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
364	30667101	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
365	30677101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
366	30677301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
367	30677401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
368	30677601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
369	30681401	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
370	30682501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
371	30682701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
372	30689201	261	10,889	261	10,958	261	10,993	261	10,987	261	11,012	261	10,968	261	11,058	261	11,08	261	11,054	261	11,031	261	11,016	261	10,941
373	30689901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
374	30691601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
375	30691801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
376	30693201	146	10,922	146	11,037	146	10,939	146	11,021	146	10,951	146	10,913	146	10,837	146	10,978	146	10,998	146	11,029	146	10,996	146	10,985
377	30700101	296	10,899	296	10,928	296	10,935	296	10,917	296	10,934	296	10,914	296	11,012	296	11,012	296	11,005	296	11,007	296	11,002	296	10,935
378	30701601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
379	30706201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
380	30707701	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
381	30707801	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
382	30707901	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
383	30708401	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
384	30708601	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
385	30710301	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
386	30710501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
387	30711001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
388	30714401	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
389	30718101	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
390	30718301	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
391	30718701	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
392	30720702	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
393	30720901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
394	30721001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
395	30726801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
396	30727501	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
397	30729201	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
398	30729301	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
399	30731501	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
400	30732101	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
401	30734301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
402	30734701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
403	30734901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
404	30735101	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
405	30735901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
406	30736001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
407	30738501	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
408	30738801	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
409	30739501	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
410	30739901	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
411	30740901	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
412	30741201	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
413	30748801	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
414	30755801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
415	30758701	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
416	30758901	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
417	30759001	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
418	30761301	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
419	30763801	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
420	30767001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
421	30768801	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
422	30771901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
423	30772001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
424	30772101	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
425	30774201	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
426	30774701	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
427	30788001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
428	30791901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
429	30795001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
430	30795701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
431	30795801	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
432	30796001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
433	30799801	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
434	30804601	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
435	30807501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
436	30807901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
437	30809601	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
438	30811701	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
439	30818201	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
440	30818601	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
441	30818801	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
442	30821601	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
443	30821701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
444	30821901	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
445	30823601	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
446	30823701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
447	30827401	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
448	30835701	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
449	30836201	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
450	30838901	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
451	30840601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
452	30840701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
453	30842401	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
454	30848901	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
455	30849301	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
456	30851501	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
457	30852201	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
458	30854001	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
459	30860601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
460	30860801	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
461	30869801	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
462	30872701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
463	30872901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
464	30880901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
465	30881101	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
466	30883901	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
467	30888201	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
468	30893001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
469	30893101	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
470	30893201	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
471	30893401	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
472	30893501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
473	30894301	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
474	30895701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
475	30900201	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
476	30901501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
477	30901701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
478	30905601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
479	30905801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
480	30907701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
481	30912501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
482	30921701	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
483	30923301	192	10,945	192	10,969	192	11,068	192	11,004	192	10,974	192	11,049	192	10,994	192	10,998	192	10,994	192	11,02	192	11,055	192	10,989
484	30923701	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
485	30924201	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
486	30931901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
487	30933501	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
488	30935201	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
489	30935401	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
490	30935501	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
491	30936901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
492	30943101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
493	30947501	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
494	30948101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
495	30948501	258	10,959	258	10,946	258	10,94	258	10,891	258	10,932	258	10,906	258	10,98	258	11,032	258	10,978	258	10,989	258	11,011	258	10,986
496	30949901	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
497	30952801	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
498	30952901	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
499	30953001	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
500	30953701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
501	30954001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
502	30954801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
503	30954901	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
504	30955001	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
505	30959401	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
506	30959504	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
507	30965201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
508	30969201	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
509	30969501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
510	30975401	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
511	30976601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
512	30979001	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
513	30979501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
514	30981901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
515	30982001	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
516	30989701	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
517	30992501	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
518	30992801	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
519	30993101	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
520	30993201	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
521	30996601	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
522	30996801	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
523	30998301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
524	30999801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
525	31001701	263	10,884	263	10,895	263	10,916	263	10,811	263	10,903	263	10,994	263	10,819	263	10,806	263	10,919	263	10,969	263	10,983	263	10,88
526	31002101	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
527	31002501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
528	31005301	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
529	31010201	263	10,884	263	10,895	263	10,916	263	10,811	263	10,903	263	10,994	263	10,819	263	10,806	263	10,919	263	10,969	263	10,983	263	10,88
530	31021001	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
531	31024401	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
532	31024501	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
533	31024901	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
534	31034601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
535	31034801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
536	31036301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
537	31038801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
538	31040101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
539	31042801	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
540	31043001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
541	31043601	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
542	31045201	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
543	31045901	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
544	31046801	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
545	31047301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
546	31055201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
547	31056601	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
548	31057701	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
549	31057801	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
550	31058101	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
551	31058201	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
552	31058401	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
553	31059101	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
554	31060201	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
555	31060401	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
556	31066001	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
557	31066502	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
558	31067001	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
559	31068501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
560	31068801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
561	31071301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
562	31073101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
563	31073801	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
564	31074501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
565	31075301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
566	31077001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
567	31077501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
568	31077801	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
569	31078301	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
570	31078401	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
571	31078801	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
572	31084401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
573	31084901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
574	31085001	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
575	31085101	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
576	31085701	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
577	31087101	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
578	31087301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
579	31087401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
580	31087501	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
581	31087901	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
582	31088401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
583	31088901	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
584	31089601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
585	31090001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
586	31091701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
587	31096601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
588	31096801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
589	31097901	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
590	31099801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
591	31103701	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
592	31103901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
593	31104001	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
594	31104201	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
595	31105201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
596	31110601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
597	31111001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
598	31111301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
599	31111401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
600	31111501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
601	31112601	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
602	31112801	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
603	31113601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
604	31116101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
605	31117001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
606	31119101	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
607	31119301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
608	31119901	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
609	31120201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
610	31121601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
611	31133001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
612	31133101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
613	31133201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
614	31133701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
615	31134901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
616	31135901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
617	31136101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
618	31136201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
619	31136501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
620	31137201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
621	31139701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
622	31140601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
623	31143801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
624	31144301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
625	31147201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
626	31149301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
627	31150601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
628	31154001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
629	31154501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
630	31159201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
631	31160301	150	10,918	150	11,001	150	10,936	150	10,94	150	10,985	150	10,928	150	10,851	150	10,962	150	10,974	150	11,003	150	10,99	150	11,006
632	31162301	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
633	31162401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
634	31163301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
635	31166401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
636	31167701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
637	31167801	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
638	31170101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
639	31170201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
640	31170601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
641	31176701	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
642	31178501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
643	31179701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
644	31181701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
645	31182201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
646	31187601	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
647	31191601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
648	31192101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
649	31200001	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
650	31202301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
651	31203301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
652	31203501	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
653	31204501	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
654	31206801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
655	31208501	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
656	31208801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
657	31209301	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
658	31209601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
659	31209901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
660	31210001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
661	31211801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
662	31213401	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
663	31213701	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
664	31214901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
665	31218501	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
666	31219001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
667	31220101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
668	31220301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
669	31220401	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
670	31221501	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
671	31221701	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
672	31222201	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
673	31222301	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
674	31222601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
675	31222801	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
676	31227902	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
677	31228301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
678	31229001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
679	31229401	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
680	31230801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
681	31231801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
682	31232101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
683	31232401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
684	31234501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
685	31244501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
686	31246701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
687	31247201	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
688	31247401	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
689	31250901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
690	31251001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
691	31251801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
692	31252101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
693	31255101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
694	31255201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
695	31261201	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
696	31265901	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
697	31270501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
698	31271501	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
699	31271701	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
700	31271901	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
701	31272801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
702	31276601	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
703	31282801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
704	31283301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
705	31283901	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
706	31288601	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
707	31288801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
708	31289201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
709	31291401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
710	31292101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
711	31292701	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
712	31293201	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
713	31294201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
714	31295201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
715	31295301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
716	31297101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
717	31298601	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
718	31300001	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
719	31301201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
720	31302901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
721	31303901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
722	31304601		-		-	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
723	31304701	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
724	31304801	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
725	31305101	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
726	31305401	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
727	31306101	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
728	31306601	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
729	31307001	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
730	31307801	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
731	31307901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
732	31308501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
733	31308601	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
734	31309101	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
735	31309801	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
736	31310501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
737	31310601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
738	31311501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
739	31311701	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
740	31311801	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
741	31312101	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
742	31312301	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
743	31312401	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
744	31312801	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
745	31313001	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
746	31313401	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
747	31313501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
748	31313901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
749	31314301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
750	31314401	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
751	31314501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
752	31314701	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
753	31315401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
754	31315701	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
755	31316201	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
756	31316501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
757	31317101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
758	31317901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
759	31319601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
760	31321501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
761	31323101	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
762	31325201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
763	31325301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
764	31326601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
765	31327701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
766	31327801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
767	31329601	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
768	31330101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
769	31332201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
770	31332401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
771	31333401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
772	31334701	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
773	31337701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
774	31337801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
775	31342501	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
776	31347801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
777	31349401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
778	31350301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
779	31350501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
780	31350701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
781	31352101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
782	31354401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
783	31354601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
784	31355201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
785	31357401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
786	31357601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
787	31357701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
788	31358201	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
789	31361601	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
790	31365601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
791	31368501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
792	31368901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
793	31369001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
794	31369801	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
795	31371001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
796	31371401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
797	31371801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
798	31373801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
799	31388201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
800	31390101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
801	31392201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
802	31392301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
803	31395101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
804	31395601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
805	31400301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
806	31403401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
807	31421401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
808	31428101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
809	31436101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
810	31437401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
811	31437801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
812	31437901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
813	31439001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
814	31439101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
815	31439501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
816	31439701	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
817	31440201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
818	31440301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
819	31446502	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
820	31449201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
821	31449301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
822	31449501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
823	31449601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
824	31449801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
825	31460401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
826	31461501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
827	31466001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
828	31467201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
829	31471901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
830	31473401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
831	31475501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
832	31482601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
833	31488802	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
834	31488901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
835	31491901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
836	31492101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
837	31499601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
838	31499801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
839	31501101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
840	31513201	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
841	31513301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
842	31513801	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
843	31515401	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
844	31517401	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
845	31526401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
846	31526701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
847	31529101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
848	31529501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
849	31529601	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
850	31533801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
851	31535401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
852	31536801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
853	31537101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
854	31537401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
855	31537501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
856	31537601	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
857	31537701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
858	31537801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
859	31538201	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
860	31539801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
861	31540201	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
862	31540401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
863	31540501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
864	31541402	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
865	31542101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
866	31549301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
867	31554501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
868	31554601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
869	31554901	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
870	31558001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
871	31558101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
872	31558201	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
873	31558301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
874	31558701	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
875	31564201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
876	31565501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
877	31565601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
878	31567001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
879	31567101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
880	31567102	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
881	31567301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
882	31568801	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
883	31570701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
884	31574401	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
885	31576001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
886	31576501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
887	31576701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
888	31576901	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
889	31577501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
890	31577701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
891	31580201	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
892	31582402	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
893	31584801	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
894	31590701	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
895	31592701	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
896	31594401	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
897	31594501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
898	31595301	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
899	31596401	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
900	31596402	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
901	31598201	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
902	31598801	76	10,851	76	10,8	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
903	31599001	76	10,851	76	10,8	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
904	31603001	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
905	31607101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
906	31620401	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
907	31621901	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
908	31628101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
909	31628301	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
910	31628401	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
911	31628901	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
912	31629001	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
913	31633701	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
914	31635001	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
915	31635201	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
916	31635901	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
917	31637501	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
918	31642001	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
919	31642101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
920	31642601	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
921	31652901	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
922	31653601	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
923	31662901	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
924	31663001	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
925	31663702	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
926	31664801	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
927	31664901	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
928	31665401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
929	31667401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
930	31668601	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
931	31668801	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
932	31670001	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
933	31677901	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
934	31679301	76	10,851	76	10,8	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
935	31679601	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
936	31685801	76	10,851	76	10,8	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
937	31686001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
938	31688101	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
939	31689101	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
940	31693401	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
941	31693601	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
942	31694801	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
943	31694901	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
944	31696701	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
945	31701001	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
946	31703401	31	10,863	31	10,926	31	10,941	31	10,945	31	10,913	31	10,97	31	11,039	31	11,014	31	10,976	31	11,011	31	11,028	31	10,982
947	31703601	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
948	31704201	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
949	31706602	276	10,902	276	10,962	276	10,959	276	10,954	276	10,93	276	10,984	276	11,039	276	11,02	276	10,983	276	11,021	276	11,027	276	10,99
950	31709501	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
951	31709701	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
952	31710101	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
953	31712401	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
954	31715901	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
955	31716701	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
956	31722901	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
957	31728901	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
958	31729001	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
959	31729301	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
960	31732101	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
961	31732301	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
962	31732801	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
963	31732901	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
964	31742901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
965	31743001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
966	31743101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
967	31743601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
968	31744301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
969	31759001	234	10,919	234	11,053	234	11,049	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
970	31759101	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	130	11,011	130	10,961	130	10,955	130	10,985	130	10,973
971	31759301	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
972	31760901	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
973	31761001	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
974	31761401	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
975	31761601	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
976	31761701	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
977	31761901	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
978	31762101	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
979	31762201	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
980	31762301	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
981	31762401	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
982	31763001	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
983	31763101	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
984	31766401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
985	31766501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
986	31766601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
987	31766701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
988	31767201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
989	31767301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
990	31768401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
991	31768801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
992	31768901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
993	31769901	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
994	31770501	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
995	31770701	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
996	31771801	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
997	31771901	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
998	31772501	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
999	31772901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1000	31773501	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1001	31773701	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1002	31773801	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1003	31775601	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1004	31776201	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1005	31776601	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1006	31777001	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1007	31777301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1008	31780501	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1009	31781301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1010	31786901	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1011	31787401	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1012	31787601	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1013	31787801	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
1014	31789401	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1015	31790501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1016	31790701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1017	31798101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1018	31800701	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1019	31801201	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1020	31803701	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1021	31806201	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	130	11,011	130	10,961	130	10,955	130	10,985	130	10,973
1022	31810501	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1023	31811801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1024	31812001	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1025	31812201	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1026	31812501	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1027	31812901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1028	31813301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1029	31813401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1030	31813501	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1031	31817301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1032	31818301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1033	31819301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1034	31821001	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	110	11,037
1035	31822701	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
1036	31827701	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1037	31829001	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
1038	31830501	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1039	31830601	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1040	31847701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1041	31849401	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1042	31849501	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
1043	31854001	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147
1044	31854101	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1045	31854401	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147
1046	31854601	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147
1047	31854701	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1048	31854801	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1049	31857901	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
1050	31863901	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
1051	31864301	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
1052	31870701	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1053	31872701	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147
1054	31883501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1055	31894001	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
1056	31897401	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
1057	31898201	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
1058	31898301	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
1059	31903401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1060	31905301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1061	31908101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1062	31909701	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1063	31909901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1064	31910401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1065	31910901	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1066	31911101	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1067	31914501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1068	31933301	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1069	31933801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1070	31934101	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
1071	31934601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
1072	31934801	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
1073	31937301	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
1074	31941201	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
1075	31943601	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
1076	31945601	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
1077	31945701	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
1078	31946301	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
1079	31949901	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
1080	31951101	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
1081	31952301	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
1082	31952501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
1083	31952801	197	10,952	197	10,975	197	11,063	197	11,042	197	11,098	197	11,235	197	11,044	197	11,054	197	11,057	197	11,039	197	11,068	197	11,055
1084	31953901	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
1085	31954501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
1086	31957901	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
1087	31959701	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
1088	31959801	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
1089	31960401	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
1090	31960601	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
1091	31961801	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
1092	31962401	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1093	31962701	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
1094	31964301	204	10,706	204	10,587	204	10,469	204	10,634	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
1095	31964501	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
1096	31965201	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
1097	31965501	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
1098	31972301	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
1099	31973301	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	76	10,981	76	10,98	243	10,784	243	10,563	243	10,468
1100	31975201	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1101	31975301	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
1102	31975501	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1103	31976001	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
1104	31976401	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
1105	31976801	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1106	31977101	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
1107	31978001	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1108	31978002	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1109	31978401	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1110	31981801	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1111	31984801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1112	31993001	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1113	31993201	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1114	31993801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1115	31995301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1116	31996601	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1117	31996701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1118	31997101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1119	31997701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1120	31997801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1121	31998001	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1122	31998101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1123	31999401	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1124	32000701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1125	32000801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1126	32001101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1127	32001301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1128	32001401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1129	32001701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1130	32002101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1131	32002201	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1132	32002401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1133	32002701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1134	32003201	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1135	32003401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1136	32003501	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1137	32004401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1138	32005201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1139	32009301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1140	32010501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1141	32017501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1142	32021801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1143	32025101	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1144	32028901	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1145	32029001	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1146	32029301	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1147	32030101	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1148	32030501	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1149	32030601	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1150	32031701	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1151	32032101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1152	32032701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1153	32034501	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
1154	32036801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1155	32037001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1156	32037501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1157	32037901	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1158	32038001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1159	32041501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1160	32041601	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1161	32041801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1162	32042001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
1163	32043601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1164	32044101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1165	32044201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1166	32044701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1167	32048401	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
1168	32051401	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1169	32054701	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
1170	32057501	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1171	32059901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1172	32061101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1173	32061301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1174	32062501	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1175	32062701	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1176	32078401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1177	32078901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1178	32079501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1179	32080801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1180	32083101	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1181	32086401	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1182	32086601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1183	32087001	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1184	32091301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1185	32101601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1186	32103402	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1187	32105501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1188	32115801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1189	32116001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1190	32117301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1191	32117801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1192	32117901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1193	32118501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1194	32118601	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1195	32119201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1196	32119301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1197	32119601	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1198	32120201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1199	32120501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1200	32121201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1201	32121901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1202	32122101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1203	32122201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1204	32124001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1205	32124701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1206	32124901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1207	32125301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1208	32125601	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1209	32125701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1210	32126801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1211	32127401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1212	32127501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1213	32127701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1214	32129201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1215	32134901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1216	32135001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1217	32137201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1218	32137401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1219	32137501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1220	32137801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1221	32138101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1222	32138201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1223	32138301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1224	32138401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1225	32143201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1226	32145001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1227	32154401	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1228	32154501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1229	32155401	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1230	32157101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1231	32169501	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
1232	32172001	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
1233	32174301	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
1234	32175101	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
1235	32176001	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1236	32176401	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
1237	32176501	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
1238	32176901	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
1239	32177301	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
1240	32177302	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
1241	32177601	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
1242	32179101	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1243	32179201	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1244	32179301	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1245	32179501	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1246	32179601	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1247	32182301	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1248	32182501	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1249	32182901	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1250	32183701	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1251	32183901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1252	32185201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1253	32185301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1254	32186001	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1255	32186301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1256	32186501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1257	32186601	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1258	32189201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1259	32189302	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1260	32189901	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1261	32190001	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1262	32190301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1263	32191601	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1264	32192101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1265	32194101	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
1266	32194701	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
1267	32196501	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1268	32196701	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1269	32197101	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1270	32197201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1271	32197801	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1272	32198201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1273	32199301	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1274	32205301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1275	32208301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
1276	32212301	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
1277	32212901	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
1278	32213301	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
1279	32213501	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	176	11,073	35	11,388	35	11,263	35	11,155	35	11,409	35	11,168
1280	32214301	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
1281	32220801	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
1282	32222901	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1283	32223501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1284	32225101	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
1285	32262301	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1286	32264601	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1287	32264801	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1288	32267601	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
1289	32268201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1290	32268301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1291	32268501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1292	32271501	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1293	32272401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1294	32274301	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
1295	32280001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1296	32283901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
1297	32286501	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
1298	32286901	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
1299	32288701	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
1300	32299901	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1301	32300401	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1302	32304601	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1303	32304801	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1304	32305701	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1305	32306101	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1306	32306201	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1307	32306301	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1308	32308901	5222	10,43	5222	10,432	5222	10,431	5222	10,435	5222	10,435	5222	10,434	5222	10,435	5222	10,433	5222	10,433	5222	10,429	5222	10,429	5222	10,428
1309	32309101	283	10,425	283	10,427	283	10,43	283	10,428	283	10,427	283	10,427	283	10,427	283	10,427	283	10,425	283	10,424	283	10,425	283	10,425
1310	32311901	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1311	32312101	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1312	32312501	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1313	32314401	249	10,627	249	10,429	249	10,489	249	10,442	249	10,638	249	10,744	249	10,878	249	10,94	249	10,967	249	11,053	249	10,82	249	10,634
1314	32317701	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
1315	32317901	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
1316	32319401	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1317	32325801	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1318	32331501	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
1319	32334601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1320	32334901	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
1321	32335201	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1322	32335601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1323	32338101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
1324	32338801	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
1325	32341401	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1326	32341801	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1327	32342401	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1328	32342901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1329	32343201	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1330	32343501	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1331	32345601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1332	32345701	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1333	32347101	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1334	32347901	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1335	32348401	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1336	32353001	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1337	32353901	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
1338	32354501	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
1339	32355001	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
1340	32356302	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
1341	32357901	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
1342	32360001	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	54	10,921	54	10,864	54	10,653	54	10,46
1343	32360401	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
1344	32360601	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
1345	32360801	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
1346	32361101	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
1347	32366701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
1348	32367001	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
1349	32368201	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
1350	32369001	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
1351	32369401	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
1352	32370701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1353	32371801	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
1354	32379401	212	10,947	212	10,82	212	11,049	212	10,973	212	11,054	212	11,035	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
1355	32383801	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1356	32384001	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1357	32385001	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1358	32385301	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1359	32385501	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1360	32386301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1361	32386801	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
1362	32389601	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1363	32391101	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1364	32397601	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
1365	32402101	206	10,78	206	10,551	206	10,76	206	10,655	206	10,543	206	10,524	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
1366	32403301	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
1367	32403401	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
1368	32404701	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
1369	32405401	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022
1370	32407401	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
1371	32408301	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1372	32408501	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
1373	32411301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1374	32411901	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1375	32415001	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
1376	32417701	83	10,789	38	10,854	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	38	11,042
1377	32419501	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022
1378	32420301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1379	32421701	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1380	32421901	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1381	32422101	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1382	32422401	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1383	32422501	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1384	32423201	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1385	32424201	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1386	32424401	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
1387	32425901	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1388	32426301	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1389	32426401	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1390	32426701	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1391	32427301	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1392	32428301	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
1393	32446301	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1394	32446501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1395	32446601	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1396	32447801	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1397	32448001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1398	32448301	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1399	32448501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1400	32448701	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1401	32448901	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1402	32449101	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1403	32449201	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1404	32449501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1405	32451701	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1406	32452001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1407	32452801	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1408	32453301	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1409	32454301	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1410	32455001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1411	32455401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1412	32457301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1413	32457501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1414	32459801	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1415	32461801	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1416	32461901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1417	32462301	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1418	32462401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1419	32463101	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1420	32463601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1421	32463701	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1422	32464101	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1423	32464201	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1424	32464401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1425	32464901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1426	32465401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1427	32465901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1428	32466001	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1429	32466901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
1430	32469601	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1431	32469701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1432	32470401	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1433	32478201	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1434	32479101	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1435	32479201	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
1436	32482901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
1437	32485301	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1438	32485601	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1439	32485701	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1440	32485801	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1441	32489401	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1442	32491001	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1443	32492901	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1444	32493001	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1445	32493601	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1446	32494401	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1447	32494601	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1448	32495101	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1449	32495601	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1450	32496401	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1451	32502501	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1452	32504702	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1453	32506101	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1454	32506301	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1455	32513001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1456	32513501	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1457	32513601	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1458	32525201	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1459	32525301	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1460	32525401	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1461	32525701	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1462	32526101	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1463	32527001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1464	32527201	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1465	32527601	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1466	32527801	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1467	32528601	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1468	32528701	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
1469	32528801	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1470	32529001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1471	32529401	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1472	32530101	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1473	32530201	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
1474	32530401	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1475	32530501	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1476	32530701	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1477	32530801	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1478	32531401	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1479	32531501	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1480	32531801	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1481	32531901	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1482	32532201	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1483	32532202	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1484	32532301	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1485	32532501	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
1486	32533101	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
1487	32533601	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
1488	32537701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
1489	32539001	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
1490	32542701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1491	32542901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1492	32545501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1493	32545701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1494	32545801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1495	32547101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1496	32547201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1497	32547601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1498	32547701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1499	32548001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1500	32548301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1501	32553701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1502	32553801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1503	32554101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1504	32555301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1505	32555401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1506	32556101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1507	32556401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1508	32556701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1509	32556801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1510	32558301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1511	32558501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1512	32558601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1513	32560201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1514	32561201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1515	32561601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1516	32562001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1517	32562101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1518	32566501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1519	32567901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1520	32568101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1521	32568401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1522	32568501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1523	32568701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1524	32569401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1525	32570101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1526	32570201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1527	32570401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1528	32570501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1529	32570801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1530	32571301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1531	32571701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1532	32572301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1533	32572601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1534	32572801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1535	32573101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1536	32573701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1537	32575501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1538	32576601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1539	32576701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1540	32577001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1541	32577301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1542	32577501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1543	32577901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1544	32579001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1545	32579201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1546	32579301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1547	32581001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1548	32581501	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
1549	32581801	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
1550	32581901	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
1551	32582001	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
1552	32582201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
1553	32590701	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
1554	32593001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
1555	32593601	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
1556	32594001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	95	11,09	273	10,429	273	10,43	273	10,428
1557	32596001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	95	11,094	95	11,09	95	11,065	273	10,43	273	10,428
1558	32598801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1559	32599401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1560	32600301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1561	32603901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1562	32607301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1563	32607801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1564	32608501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1565	32610501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1566	32613001	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1567	32614001	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1568	32614101	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1569	32614201	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1570	32614401	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1571	32614701	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1572	32614901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1573	32616801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1574	32620601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1575	32621501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1576	32621801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1577	32624001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1578	32627701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1579	32627801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1580	32633402	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
1581	32635601	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
1582	32635901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1583	32637301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1584	32642301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1585	32643401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1586	32643601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1587	32643801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1588	32644201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1589	32644401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1590	32644601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1591	32644801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1592	32645201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1593	32649401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1594	32671201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1595	32674801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1596	32681001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1597	32681501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1598	32681601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1599	32683701	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
1600	32683801	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
1601	32683901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
1602	32687901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1603	32692901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1604	32694401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
1605	32695301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1606	32700301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1607	32709701	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
1608	32748602	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1609	32748802	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1610	32749202	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1611	32749801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1612	32754101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1613	32754201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1614	32754401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1615	32755001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1616	32758301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1617	32759601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1618	32760501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1619	32760701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1620	32761301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1621	32761501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1622	32761601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1623	32763501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1624	32764101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1625	32764202	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1626	32765501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1627	32765601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1628	32765701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1629	32766201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1630	32771501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1631	32771601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1632	32773801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1633	32773901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1634	32774601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1635	32776401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1636	32779001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1637	32780901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1638	32781801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1639	32783801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1640	32784201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1641	32784301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1642	32784501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1643	32784602	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1644	32784801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1645	32785501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1646	32786801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1647	32787001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1648	32790001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1649	32790201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1650	32790301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1651	32790401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1652	32795501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1653	32800102	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1654	32800302	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1655	32805401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1656	32805501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1657	32806001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1658	32808701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1659	32808901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1660	32809001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1661	32809101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1662	32809201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1663	32819701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1664	32819801	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1665	32820101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1666	32820701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1667	32820901	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1668	32821001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1669	32821301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1670	32821401	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1671	32822001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1672	32822101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1673	32825501	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
1674	32825601	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
1675	32825801	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1676	32825901	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1677	32826101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1678	32826201	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1679	32826501	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1680	32826601	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1681	32826701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1682	32829201	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1683	32829401	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
1684	32832901	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1685	32833101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1686	32833601	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1687	32834801	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1688	32834901	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1689	32835502	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1690	32835601	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1691	32835702	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1692	32835805	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1693	32835901	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1694	32836102	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1695	32836801	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1696	32837301	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
1697	32839601	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1698	32840001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1699	32840101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1700	32840301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1701	32841601	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1702	32842901	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1703	32843701	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1704	32844001	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1705	32844101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1706	32844201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1707	32845601	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1708	32845701	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1709	32846701	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1710	32847201	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1711	32847302	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1712	32847501	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1713	32849301	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1714	32849401	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1715	32849501	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1716	32849701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1717	32850901	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
1718	32851401	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1719	32854101	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1720	32854901	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1721	32855101	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1722	32855301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1723	32856001	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
1724	32857301	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1725	32859101	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
1726	32859401	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1727	32860201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1728	32862401	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1729	32862501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
1730	32876601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1731	32883501	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
1732	32900701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1733	32906401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1734	32907401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
1735	32911101	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1736	32911201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1737	32911501	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1738	32912201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1739	32912601	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1740	32918501	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
1741	32921701	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
1742	32921901	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1743	32923101	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1744	32927201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1745	32927701	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1746	32928601	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1747	32929301	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1748	32929401	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1749	32930201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1750	32930301	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1751	32930701	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1752	32932201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1753	32935901	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1754	32940401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1755	32942101	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1756	32946301	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
1757	32947001	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
1758	32947301	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
1759	32947401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
1760	32951201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1761	32952401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1762	32952501	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1763	32953601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1764	32953901	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1765	32954201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1766	32954401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1767	32954701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1768	32955901	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,116	152	11,112	152	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1769	32956801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1770	32958501	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1771	32959001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1772	32959301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1773	32959801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1774	32968001	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
1775	32968201	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
1776	32971101	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
1777	32972301	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
1778	32972302	298	11,114	298	11,139	298	11,117	298	11,115	298	11,111	298	11,098	298	11,11	298	11,115	298	11,116	298	11,112	298	11,097	298	11,096
1779	32973001	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
1780	32979101	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
1781	32982901	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
1782	32983601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1783	32984601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1784	32988901	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
1785	32989301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1786	32990701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1787	32991401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1788	32993801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1789	32994001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1790	32994101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1791	32994201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1792	32994501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1793	32995301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1794	32995801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1795	32996101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1796	32997501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1797	32999301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1798	32999401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1799	32999701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1800	32999901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1801	33000901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1802	33001201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1803	33002001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1804	33002301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1805	33003001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1806	33003301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1807	33005501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1808	33005601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1809	33005901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1810	33006401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1811	33006801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1812	33007101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1813	33007301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1814	33010701	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
1815	33011501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1816	33012001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1817	33012801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1818	33014601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1819	33016001	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
1820	33020401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1821	33022401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1822	33023201	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
1823	33025901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1824	33027401	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
1825	33028801	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
1826	33029001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
1827	33031601	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
1828	33035201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1829	33037401	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
1830	33038501	300	10,617	300	10,64	300	10,485	300	10,415	300	10,311	300	10,412	300	10,608	300	10,901	300	10,739	300	10,678	300	10,623	300	10,554
1831	33040301	241	11,023	241	11,023	241	11,023	241	11,05	241	11,046	241	11,045	241	11,042	241	11,04	241	11,04	241	11,04	241	11,041	241	11,042
1832	33044701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1833	33053001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1834	33055601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1835	33068803	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
1836	33068901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
1837	33070801	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
1838	33081901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
1839	33087101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1840	33090001	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1841	33090601	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1842	33090801	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1843	33090901	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1844	33091301	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1845	33091701	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1846	33091801	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1847	33092201	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1848	33093101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1849	33094801	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1850	33097401	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1851	33110401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1852	33114501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1853	33133901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
1854	33148006	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
1855	33173801	297	11,139	297	11,191	297	11,132	297	11,093	297	11,017	297	11,041	297	10,999	297	11,091	297	11,059	297	11,035	297	11,106	297	11,078
1856	33174001	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	170	10,938	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
1857	33174601	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1858	33176701	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1859	33176801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1860	33176901	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1861	33177101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	170	10,938	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
1862	33177401	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1863	33178301	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
1864	33182101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
1865	33183201	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
1866	33184901	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
1867	33186601	64	10,932	64	11,007	64	10,986	64	10,938	64	10,958	64	10,936	64	10,975	64	11,014	64	11,009	64	10,976	64	10,937	64	10,901
1868	33188501	64	10,932	64	11,007	64	10,986	64	10,938	64	10,958	64	10,936	64	10,975	64	11,014	64	11,009	64	10,976	64	10,937	64	10,901
1869	33196401	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
1870	33224601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
1871	33677201	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
1872	33715001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1873	34099401	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1874	34100801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1875	34100901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1876	34102801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
1877	34115701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1878	34117701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
1879	34122201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
1880	34122801	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
1881	34125001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1882	34127401	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
1883	34129601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1884	34129701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1885	34134901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
1886	34135001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1887	34138101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
1888	34138302	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
1889	34138401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
1890	34139401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1891	34146001	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
1892	34154801	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1893	34162601	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
1894	34164901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
1895	34165801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1896	34166001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
1897	34168301	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
1898	34168901	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1899	34169301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1900	34174801	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
1901	34176101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1902	34178001	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
1903	34179001	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
1904	34182101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
1905	34182901	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
1906	34184901	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
1907	34185501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
1908	34188001	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
1909	34189401	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
1910	34192001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1911	34194101	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1912	34195001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1913	34195401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1914	34195601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1915	34196501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1916	34196502	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1917	34196601	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1918	34197301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1919	34198501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1920	34198502	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1921	34198504	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1922	34199201	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1923	34200001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1924	34200301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1925	34201601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1926	34203001	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
1927	34203002	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
1928	34203003	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1929	34203004	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
1930	34203005	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1931	34203201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1932	34203202	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1933	34203203	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1934	34203204	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1935	34203205	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1936	34203206	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1937	34206801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1938	34207501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1939	34208301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1940	34209201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1941	34209801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1942	34209802	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1943	34209803	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1944	34210001	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1945	34210201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1946	34210301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1947	34212401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1948	34213201	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
1949	34213401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1950	34214401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1951	34214901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1952	34215001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1953	34215101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1954	34216001	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1955	34216701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1956	34217202	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1957	34217205	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1958	34217904	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1959	34217906	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1960	34217907	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1961	34217908	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1962	34217909	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1963	34217910	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1964	34217911	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1965	34217912	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
1966	34220001	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
1967	34221401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1968	34222101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
1969	34222201	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
1970	34222501	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
1971	34222801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1972	34223401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1973	34223402	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1974	34223403	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1975	34223801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1976	34223802	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
1977	34224901	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1978	34225401	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
1979	34225501	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
1980	34225901	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
1981	34226401	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
1982	34226801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1983	34226901	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
1984	34227101	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
1985	34227201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1986	34227202	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1987	34227601	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
1988	34228001	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
1989	34228301	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1990	34228401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1991	34229001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1992	34229401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1993	34231001	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
1994	34231201	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
1995	34231401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1996	34233001	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
1997	34235001	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
1998	34235101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
1999	34235201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2000	34235301	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
2001	34235501	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
2002	34236901	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2003	34237001	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2004	34237201	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
2005	34237301	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2006	34237701	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2007	34237801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2008	34238001	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
2009	34238002	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2010	34238101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2011	34238201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2012	34239501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2013	34239901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2014	34240403	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2015	34241401	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2016	34241501	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2017	34241502	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2018	34241601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2019	34241701	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2020	34242001	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2021	34242101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2022	34242201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2023	34242301	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2024	34242601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2025	34243401	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2026	34243801	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2027	34244601	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2028	34244701	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2029	34244801	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2030	34244901	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2031	34245201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2032	34245801	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2033	34245901	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2034	34245902	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2035	34246101	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2036	34246201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2037	34246301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2038	34246501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2039	34246702	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2040	34246901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2041	34247001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2042	34248101	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
2043	34248301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2044	34248601	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2045	34248701	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2046	34248901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2047	34249101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2048	34249701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2049	34249702	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2050	34249902	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2051	34249903	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2052	34250001	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2053	34250102	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2054	34250104	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2055	34250201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2056	34250301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2057	34250701	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2058	34250801	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2059	34250901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2060	34251501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2061	34252001	86	10,929	86	10,952	86	10,937	86	10,835	86	10,868	86	10,902	86	10,825	86	10,892	86	10,873	86	10,922	86	10,898	86	10,938
2062	34252101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2063	34252102	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2064	34252201	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2065	34252401	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
2066	34253401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2067	34253501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2068	34254001	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2069	34254101	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2070	34254401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
2071	34254702	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2072	34254704	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2073	34254801	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2074	34254901	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2075	34255301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
2076	34255901	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2077	34255903	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2078	34255904	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2079	34258501	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2080	34258502	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2081	34258503	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2082	34261701	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2083	34262101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2084	34262201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2085	34262301	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2086	34262302	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
2087	34263101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2088	34263401	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2089	34263402	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2090	34263403	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2091	34263701	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
2092	34264201	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
2093	34264501	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2094	34265201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2095	34266001	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2096	34266401	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2097	34267401	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2098	34268201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2099	34268601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2100	34269801	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2101	34270901	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2102	34272101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2103	34272601	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2104	34273601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2105	34275701	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2106	34275901	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2107	34276601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2108	34277101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2109	34278801	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
2110	34279401	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2111	34279601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2112	34279801	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2113	34280101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2114	34281101	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2115	34281102	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2116	34281301	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2117	34281501	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
2118	34281801	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
2119	34282801	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2120	34283001	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2121	34283401	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2122	34286401	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2123	34286501	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2124	34286801	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2125	34288601	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2126	34289501	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2127	34290101	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2128	34292301	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2129	34292701	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2130	34292702	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2131	34292901	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2132	34292902	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2133	34292903	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2134	34292904	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2135	34293701	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2136	34293901	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2137	34294301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2138	34294801	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2139	34295301	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2140	34295501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2141	34295502	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2142	34295601	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2143	34296101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2144	34296401	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2145	34296501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2146	34296502	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2147	34296503	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2148	34296901	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2149	34297301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2150	34297701	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2151	34297702	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2152	34297801	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2153	34297901	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2154	34299101	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2155	34299501	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2156	34299601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2157	34300101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2158	34300701	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2159	34300702	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2160	34301101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2161	34301201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
2162	34302201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
2163	34303401	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2164	34303501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2165	34303801	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2166	34304001	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2167	34304002	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2168	34304501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2169	34304701	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2170	34304801	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2171	34305201	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2172	34305401	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2173	34305501	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2174	34305801	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2175	34306301	228	10,913	228	10,923	228	10,964	228	10,838	228	10,994	228	11,019	228	10,944	228	11,002	228	10,95	228	10,964	228	11,028	228	10,931
2176	34306401	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2177	34306402	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2178	34306601	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2179	34306801	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
2180	34307701	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
2181	34308601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2182	34308602	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2183	34308701	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2184	34309101	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2185	34309401	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2186	34309801	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2187	34310001	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2188	34310002	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2189	34310003	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2190	34310301	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2191	34310601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2192	34310701	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2193	34310901	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2194	34311101	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2195	34311301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2196	34311601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2197	34313601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
2198	34314301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
2199	34315301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
2200	34316501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
2201	34316801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
2202	34321101	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2203	34322101	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2204	34324201	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2205	34324501	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2206	34325801	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2207	34325901	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2208	34326201	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2209	34327201	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2210	34327202	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2211	34327301	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2212	34328001	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2213	34328101	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2214	34328301	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
2215	34328401	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2216	34329101	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2217	34330501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2218	34331301	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2219	34331901	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2220	34332501	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
2221	34332701	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2222	34332702	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
2223	34333201	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2224	34333202	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2225	34333401	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2226	34333501	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2227	34335101	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2228	34335102	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2229	34335103	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2230	34335104	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2231	34335105	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2232	34335106	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2233	34335107	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2234	34337501	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
2235	34338501	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2236	34338502	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2237	34339601	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2238	34339701	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2239	34340401	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
2240	34340601	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2241	34340801	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2242	34340802	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2243	34340803	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2244	34341301	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
2245	34341701	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2246	34341901	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	35	11,409	35	11,168
2247	34342001	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
2248	34342002	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
2249	34342201	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
2250	34342801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2251	34342901	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2252	34343001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2253	34343101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2254	34343201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2255	34343701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2256	34343801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2257	34343802	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2258	34343901	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2259	34344101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2260	34344201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2261	34344401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2262	34345001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2263	34345101	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2264	34345102	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2265	34345103	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2266	34345104	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2267	34345301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2268	34345401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2269	34345501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2270	34345601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2271	34345701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2272	34345702	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2273	34345901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2274	34345902	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2275	34345903	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2276	34346001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2277	34346501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2278	34346502	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2279	34346601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2280	34346701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2281	34346702	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2282	34347101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2283	34347102	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2284	34347201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2285	34347301	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2286	34347501	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2287	34347601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2288	34347602	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2289	34348201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2290	34349201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2291	34349202	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2292	34349301	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2293	34349401	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2294	34349501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2295	34349502	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2296	34349601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2297	34349701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2298	34349702	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2299	34349703	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2300	34349801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2301	34349901	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2302	34350001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2303	34350002	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2304	34350201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2305	34350301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2306	34350401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2307	34350801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2308	34350902	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2309	34351001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2310	34351202	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2311	34351301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2312	34351401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2313	34351501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2314	34351502	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2315	34352101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2316	34352302	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2317	34352601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2318	34352901	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2319	34353001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2320	34353201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2321	34353202	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2322	34353301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2323	34353302	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2324	34353401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2325	34353402	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2326	34354301	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2327	34354303	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2328	34354401	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2329	34354402	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2330	34354403	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2331	34354501	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2332	34354502	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2333	34354601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2334	34354701	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2335	34354702	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2336	34354801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2337	34354802	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2338	34355202	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2339	34355301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2340	34355501	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2341	34355502	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2342	34355701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2343	34355702	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2344	34355802	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2345	34355803	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2346	34355901	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2347	34356101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2348	34356301	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2349	34356601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2350	34356701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2351	34356801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2352	34356901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2353	34357001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2354	34357101	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2355	34357301	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2356	34357501	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2357	34357801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2358	34357901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2359	34359301	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2360	34359401	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2361	34359701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2362	34359901	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2363	34360001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2364	34360101	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2365	34360201	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2366	34360501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2367	34360701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2368	34360702	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2369	34360703	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2370	34360801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2371	34360901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2372	34361401	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2373	34361701	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2374	34361801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2375	34362001	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2376	34362101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2377	34362701	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2378	34363001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2379	34363101	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2380	34363102	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2381	34363201	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2382	34363202	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2383	34363801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2384	34363802	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2385	34363803	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2386	34364101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2387	34364103	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2388	34364104	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2389	34364105	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2390	34364106	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2391	34364501	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2392	34365401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2393	34365402	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2394	34366101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2395	34366102	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2396	34366103	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2397	34366401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2398	34366601	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2399	34366701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2400	34366801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2401	34367001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2402	34368001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2403	34368101	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2404	34368401	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2405	34368701	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2406	34369001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2407	34369002	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2408	34369003	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2409	34369004	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2410	34369005	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2411	34369501	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2412	34369701	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2413	34369801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2414	34370201	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2415	34370701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2416	34370901	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2417	34371301	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2418	34371501	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2419	34371502	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2420	34371505	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2421	34371901	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2422	34372301	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2423	34372501	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2424	34372801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2425	34372901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2426	34373001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2427	34373101	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
2428	34373102	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2429	34373103	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
2430	34373104	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2431	34373201	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2432	34373601	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2433	34373901	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2434	34374601	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2435	34375401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2436	34375801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2437	34376401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2438	34376701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2439	34376801	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2440	34378801	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
2441	34379301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2442	34379302	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2443	34380801	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2444	34382001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2445	34383701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2446	34389301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2447	34389303	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2448	34389401	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2449	34389501	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2450	34389601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2451	34389701	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2452	34389801	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2453	34389902	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2454	34389903	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2455	34390001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2456	34390101	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2457	34390201	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2458	34390301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2459	34390302	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2460	34390401	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2461	34390602	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2462	34390603	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
2463	34390701	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2464	34390801	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2465	34390901	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2466	34391001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2467	34391101	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2468	34391201	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2469	34391202	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2470	34391301	145	10,968	145	10,936	145	10,975	145	10,882	145	11,01	145	11,058	145	11,021	145	11,058	145	11,027	145	11,049	145	11,1	145	11,05

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2471	34391401	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2472	34391402	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2473	34391501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2474	34391601	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
2475	34391701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2476	34391802	293	10,913	293	10,926	293	10,918	293	10,829	293	10,879	293	10,929	293	10,94	293	10,968	293	10,954	293	10,984	293	10,99	293	10,938
2477	34391901	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2478	34392001	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2479	34392101	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2480	34392301	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2481	34392401	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2482	34392402	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2483	34392501	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2484	34392701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2485	34392702	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2486	34392802	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2487	34392901	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2488	34393001	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2489	34393101	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2490	34393201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2491	34393202	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2492	34393501	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2493	34393701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2494	34393801	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2495	34393901	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2496	34393902	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2497	34394001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2498	34394101	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
2499	34394201	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2500	34394401	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2501	34394503	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2502	34394505	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2503	34394601	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2504	34394701	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2505	34394901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2506	34395001	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2507	34395002	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2508	34395101	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2509	34395201	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2510	34395301	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2511	34395401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2512	34395501	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2513	34395801	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514
2514	34396002	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2515	34396003	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2516	34396102	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2517	34396103	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2518	34396201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2519	34396301	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2520	34396401	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2521	34396501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2522	34396502	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2523	34396601	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2524	34396701	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2525	34396702	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2526	34396901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2527	34397001	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2528	34397101	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2529	34397201	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2530	34397202	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2531	34397501	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2532	34397601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2533	34397701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2534	34397901	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2535	34398001	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2536	34398601	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2537	34398701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2538	34398801	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2539	34398901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2540	34399001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2541	34399101	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2542	34399102	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2543	34399201	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2544	34399301	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2545	34399401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2546	34399403	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2547	34399404	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2548	34399601	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2549	34399602	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2550	34399701	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2551	34399801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2552	34399802	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2553	34399902	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2554	34400001	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2555	34400201	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2556	34400301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2557	34400402	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2558	34400501	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2559	34400601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2560	34400602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2561	34400702	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2562	34400801	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2563	34400901	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2564	34400902	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2565	34401001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2566	34401002	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2567	34401101	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2568	34401201	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2569	34401202	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2570	34401401	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2571	34401501	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2572	34401602	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2573	34401701	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2574	34401702	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2575	34401801	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2576	34402001	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2577	34402101	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2578	34402102	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2579	34402103	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2580	34402201	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2581	34402301	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514	5215	10,514
2582	34402401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2583	34402502	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2584	34402801	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2585	34402901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2586	34402902	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2587	34403001	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2588	34403101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2589	34403301	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2590	34403302	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2591	34403501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2592	34403601	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2593	34403705	294	10,932	294	10,952	294	10,964	294	10,85	294	10,901	294	10,948	294	10,962	294	10,991	294	10,981	294	11,005	294	11,02	294	10,951
2594	34403708	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2595	34403710	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2596	34403711	288	10,965	288	10,985	288	11,027	288	11,042	288	11,042	288	11,08	288	11,061	288	11,053	288	11,032	288	11,049	288	11,111	288	11,096
2597	34403713	287	10,892	287	10,849	287	10,792	287	10,81	287	10,877	287	10,932	287	10,947	287	10,972	287	10,965	287	10,987	287	11,03	287	10,918
2598	34403721	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2599	34403723	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2600	34403801	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2601	34403901	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2602	34404003	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2603	34404004	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
2604	34404005	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2605	34404301	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2606	34404302	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2607	34404501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2608	34404502	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2609	34404701	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2610	34404702	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2611	34404901	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2612	34405001	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
2613	34405002	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2614	34405101	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2615	34405301	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2616	34405401	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2617	34405701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2618	34405703	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2619	34405901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2620	34405902	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2621	34406001	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
2622	34406102	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2623	34406201	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2624	34406202	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2625	34406301	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2626	34406401	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2627	34406601	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2628	34406701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2629	34406901	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2630	34407001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2631	34407101	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2632	34407201	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
2633	34407302	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2634	34407303	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2635	34407306	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
2636	34407401	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2637	34407501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2638	34407601	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2639	34407602	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
2640	34407801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2641	34407901	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2642	34408001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2643	34408002	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2644	34408003	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2645	34408101	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2646	34408202	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2647	34408203	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2648	34408302	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2649	34408304	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2650	34408401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2651	34408501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2652	34408601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2653	34408602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2654	34408603	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2655	34408701	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2656	34408801	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2657	34408901	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2658	34408902	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2659	34409101	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2660	34409201	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2661	34409301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2662	34409401	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2663	34409501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2664	34409601	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2665	34409701	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2666	34409801	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
2667	34409901	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2668	34409902	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2669	34410201	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2670	34410301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2671	34410302	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
2672	34410501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
2673	34410601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2674	34410701	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2675	34410801	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2676	34410901	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2677	34411001	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2678	34411002	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2679	34411102	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2680	34411103	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2681	34411201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2682	34411202	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2683	34411301	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2684	34411401	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2685	34411402	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2686	34411501	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
2687	34411601	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2688	34411701	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2689	34411801	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2690	34412001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2691	34412101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2692	34412201	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2693	34412301	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
2694	34412401	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2695	34412501	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2696	34412502	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
2697	34412601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2698	34412701	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2699	34413001	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2700	34413101	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
2701	34413203	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
2702	34413301	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
2703	34413401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2704	34413402	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2705	34413601	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
2706	34413801	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2707	34413802	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
2708	34413901	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2709	34414001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
2710	34414301	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2711	34414401	237	10,636	237	10,63	269	10,972	237	10,538	269	11,002	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	269	11,023
2712	34414402	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2713	34414501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2714	34414601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2715	34414701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2716	34414801	237	10,636	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2717	34414901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2718	34415001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2719	34415101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2720	34415201	182	10,906	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2721	34415301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2722	34415601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2723	34415602	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2724	34415801	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2725	34415802	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2726	34416001	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2727	34416401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2728	34416402	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2729	34416403	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2730	34416404	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2731	34416405	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2732	34416801	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2733	34416802	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2734	34416901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2735	34417001	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2736	34417201	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2737	34417301	182	10,906	237	10,63	237	10,428	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2738	34417401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2739	34417501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2740	34417701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2741	34417801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2742	34417901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2743	34418001	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2744	34418501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2745	34418502	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2746	34418601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2747	34418602	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2748	34418701	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
2749	34418901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2750	34419101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2751	34419201	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2752	34419301	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2753	34419304	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2754	34419701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2755	34419901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2756	34420001	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2757	34420301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2758	34420702	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2759	34420901	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2760	34421001	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2761	34421101	182	10,906	237	10,63	237	10,428	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2762	34421201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2763	34421401	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2764	34421501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2765	34421701	182	10,906	237	10,63	237	10,428	237	10,538	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2766	34421702	182	10,906	237	10,63	237	10,428	237	10,538	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2767	34421901	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2768	34421902	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2769	34422001	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2770	34422101	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2771	34422601	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2772	34422602	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2773	34422901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2774	34423101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2775	34423102	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2776	34423103	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2777	34423104	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2778	34423301	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2779	34423601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2780	34423801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2781	34424001	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2782	34424501	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2783	34424802	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2784	34425102	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2785	34425401	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2786	34425402	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2787	34425501	269	10,965	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2788	34425601	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2789	34425701	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2790	34425702	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2791	34425801	182	10,906	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2792	34426301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2793	34426401	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2794	34426801		-		-		-		-		-		-		-		-		-		-		-		-
2795	34426802	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2796	34426901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2797	34427101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2798	34427201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2799	34427202	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2800	34427501	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
2801	34427801	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2802	34428001	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2803	34428101	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2804	34428102	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2805	34428201	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2806	34428301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2807	34428403	237	10,636	237	10,63	269	10,972	237	10,538	269	11,002	269	10,993	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	269	11,023
2808	34428901	182	10,906	237	10,63	237	10,428	237	10,538	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2809	34429001	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2810	34429301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2811	34429401	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2812	34429501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2813	34429801	182	10,906	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2814	34430001	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2815	34430201	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2816	34430301	182	10,906	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2817	34430801	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2818	34430901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2819	34431003	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2820	34431201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2821	34431301	237	10,636	237	10,63	269	10,972	237	10,538	269	11,002	269	10,993	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	269	11,023
2822	34431501	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2823	34431601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2824	34431801	269	10,965	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2825	34431901	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2826	34432101	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2827	34432201	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2828	34432601	182	10,906	237	10,63	237	10,428	237	10,538	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2829	34432701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2830	34432801	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2831	34432901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2832	34433301	269	10,965	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2833	34433501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2834	34433901	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2835	34434001	182	10,906	237	10,63	237	10,428	237	10,538	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2836	34434101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2837	34434201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2838	34434301	182	10,906	237	10,63	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2839	34434401	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2840	34434501	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
2841	34434601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2842	34434701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2843	34434801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2844	34435201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2845	34435501	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2846	34435701	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2847	34435804	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
2848	34435901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2849	34436102	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2850	34437001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2851	34437201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2852	34437301	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
2853	34437701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
2854	34437801	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2855	34437901	269	10,965	237	10,63	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2856	34438301	237	10,636	237	10,63	269	10,972	237	10,538	237	10,743	237	10,708	237	10,735	269	11,019	269	11,013	269	11,018	269	11,027	237	10,769
2857	34438401	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2858	34438402	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
2859	34438502	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2860	34438504	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2861	34438901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
2862	34439201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2863	34439301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2864	34439701	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2865	34439801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2866	34439901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2867	34440101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2868	34440201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2869	34440701	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2870	34441001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2871	34441201	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2872	34441501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2873	34441801	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2874	34441802	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2875	34441901	210	10,962	210	11,069	210	10,961	210	11,03	210	11,064	210	11,011	210	10,913	210	11,031	210	11,036	210	11,039	210	11,029	210	11,027
2876	34441903	255	10,943	255	11,057	255	10,958	255	11,001	255	11,021	255	10,969	255	10,911	255	10,989	255	11,008	255	11,019	255	10,993	255	10,98
2877	34441904	256	10,949	256	11,065	256	10,967	256	11,013	256	11,036	256	10,979	256	10,944	256	11,037	256	11,035	256	11,002	256	11,023	256	11,04
2878	34441906	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2879	34442101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2880	34442401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2881	34442402	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2882	34442702	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2883	34442901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2884	34443001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2885	34443101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2886	34443201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2887	34443202	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2888	34443501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2889	34443601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2890	34443602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2891	34444201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2892	34444501	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2893	34444701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2894	34444901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2895	34445001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2896	34445102	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2897	34445103	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2898	34445401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2899	34445501	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2900	34445601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2901	34445901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2902	34446001	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2903	34446002	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2904	34446201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2905	34446202	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2906	34446203	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2907	34446501	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2908	34446502	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2909	34446701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2910	34446801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2911	34446901	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2912	34447001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2913	34447801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2914	34448201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2915	34448602	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2916	34448603	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2917	34448901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2918	34449302	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2919	34449303	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2920	34449304	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2921	34449401	224	10,95	224	11,069	224	10,974	224	11,028	224	11,051	224	10,981	224	10,948	224	11,013	224	11,015	224	11,011	224	11,007	224	11,003
2922	34450301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2923	34450401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2924	34450701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2925	34450702	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2926	34451101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2927	34451201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2928	34451503	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2929	34451601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2930	34451701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2931	34452001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2932	34452301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2933	34452302	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2934	34452602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2935	34452801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2936	34453201	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2937	34453202	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2938	34453301	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2939	34453401	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2940	34453601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2941	34453901	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
2942	34454001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2943	34454301	239	10,956	239	11,036	239	10,962	239	11,026	239	11,044	239	10,963	239	10,854	239	10,978	239	10,998	239	11,029	239	10,996	239	10,985
2944	34454901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2945	34455101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2946	34455201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2947	34455401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2948	34455501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2949	34455601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2950	34455602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2951	34455701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2952	34455801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2953	34456001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2954	34456002	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2955	34456101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2956	34456301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2957	34456401	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2958	34456402	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2959	34456403	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2960	34457601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2961	34457602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2962	34457801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2963	34457802	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2964	34458001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2965	34458201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2966	34458501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2967	34458502	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2968	34458601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2969	34458701	247	10,944	247	11,093	247	11	247	11	247	11,011	247	11,011	247	11,011	247	11,011	247	11,011	247	11,012	247	11,012	247	11,014
2970	34458903	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2971	34458904	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2972	34458905	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2973	34459001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2974	34459401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2975	34459601	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
2976	34460001	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
2977	34460002	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
2978	34460101	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
2979	34460501	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
2980	34460901	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
2981	34461401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
2982	34461601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
2983	34461801	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
2984	34461901	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2985	34461902	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2986	34462001	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
2987	34462002	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
2988	34462301	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2989	34462601	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
2990	34462801	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
2991	34462802	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
2992	34462901	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
2993	34463001	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
2994	34463101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
2995	34463301	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2996	34463302	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
2997	34463501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
2998	34463601	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
2999	34463701	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3000	34464101	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
3001	34464301	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3002	34464401	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3003	34464501	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3004	34464601	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
3005	34464901	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3006	34465201	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3007	34465901	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3008	34466101	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
3009	34466201	263	10,884	263	10,895	263	10,916	263	10,811	263	10,903	263	10,994	263	10,819	263	10,806	263	10,919	263	10,969	263	10,983	263	10,88
3010	34466402	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3011	34466501	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3012	34466601	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3013	34466801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3014	34466802	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3015	34466803	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993
3016	34467101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3017	34467201	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3018	34467401	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
3019	34467501	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
3020	34467701	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3021	34468401	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
3022	34468901	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3023	34469101	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3024	34469601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3025	34469801	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
3026	34469803	145	10,968	145	10,936	145	10,975	145	10,882	145	11,01	145	11,058	145	11,021	145	11,058	145	11,027	145	11,049	145	11,1	145	11,05
3027	34470501	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
3028	34470601	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
3029	34470602	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3030	34470603	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
3031	34471401	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3032	34471601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3033	34471701	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3034	34471802	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3035	34471901	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
3036	34472901	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3037	34473201	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
3038	34473301	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3039	34473501	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3040	34473502	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3041	34473601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3042	34474401	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3043	34474501	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3044	34474601	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
3045	34474901	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3046	34475001	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
3047	34475101	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3048	34475601	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
3049	34476001	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3050	34477101	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3051	34477201	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
3052	34477302	145	10,968	145	10,936	145	10,975	145	10,882	145	11,01	145	11,058	145	11,021	145	11,058	145	11,027	145	11,049	145	11,1	145	11,05
3053	34477303	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3054	34477701	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
3055	34477801	5	10,913	5	10,923	5	10,964	5	10,838	5	10,994	5	11,019	5	10,944	5	11,002	5	10,95	5	10,964	5	11,028	5	10,931
3056	34477802	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3057	34478201	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
3058	34478601	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
3059	34478701	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3060	34478801	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
3061	34478901	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3062	34479001	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3063	34479101	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3064	34479301	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3065	34479401	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3066	34479501	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3067	34479801	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3068	34480101	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3069	34480202	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3070	34480301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3071	34480501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3072	34480701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3073	34480801	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3074	34480901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3075	34481101	93	10,914	93	11,114	5252	10,333	5252	10,333	93	11,247	5252	10,333	5252	10,333	5252	10,333	5252	10,333	5252	10,333	5252	10,333	5252	10,333
3076	34481201	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3077	34481301	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3078	34481501	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3079	34481601		-		-		-		-		-		-	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3080	34482001	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3081	34482101	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3082	34482104	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3083	34482106	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3084	34482201	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3085	34482202	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3086	34482205	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3087	34482206	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3088	34482701	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
3089	34483001	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3090	34483301	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3091	34483701	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3092	34483801	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3093	34484101	190	10,971	190	11,047	190	10,988	190	10,99	190	10,995	190	10,951	190	10,957	190	10,995	190	10,964	190	10,969	190	11,016	190	11,063
3094	34484301	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3095	34484401	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
3096	34484701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3097	34484901	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3098	34485001	5337	10,491	5337	10,491	5337	10,491	5337	10,491	5337	10,491	5337	10,491	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3099	34485101	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3100	34485201	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
3101	34485301	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
3102	34485302	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
3103	34485401	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3104	34485501		-		-		-		-		-		-	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3105	34485701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3106	34485801	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3107	34486101	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3108	34486201	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
3109	34486301	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3110	34486601	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3111	34486901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3112	34487001	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
3113	34487101	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3114	34487201	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3115	34487301	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3116	34487401	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
3117	34487601	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3118	34487701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3119	34488001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3120	34488101	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3121	34488201	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3122	34488301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3123	34488401	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3124	34488501	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3125	34488801	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
3126	34489101	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
3127	34489502	213	10,964	213	10,998	11	11,059	11	11,048	11	11,028	11	11,005	11	10,968	11	10,979	11	10,986	11	11,004	11	11,016	11	11,006
3128	34489601	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
3129	34489701	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
3130	34489801	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
3131	34489902	5337	10,491	5337	10,491	5337	10,491	5337	10,491	5337	10,491	5337	10,491	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
3132	34490101	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3133	34490201	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3134	34490801	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3135	34490901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3136	34491001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3137	34491701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3138	34491801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3139	34491901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3140	34492001	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	230	11,256	290	11,029	290	10,996	290	10,986
3141	34492301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3142	34492501	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3143	34492701	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3144	34492801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3145	34492802	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3146	34493001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3147	34493102	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
3148	34493201	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3149	34493401	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3150	34493402	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3151	34493601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3152	34493801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3153	34494001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3154	34494101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3155	34494201	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	230	11,378	290	10,998	290	11,029	290	10,996	290	10,986
3156	34494301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3157	34494501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3158	34494601	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3159	34494801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3160	34494901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3161	34495001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3162	34495101	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
3163	34495201	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3164	34495402	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3165	34495601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3166	34495701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3167	34495901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3168	34496101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3169	34496201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3170	34496202	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3171	34496401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3172	34496601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3173	34496701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3174	34496801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3175	34497101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3176	34497901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3177	34498201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3178	34498401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3179	34498402	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3180	34499301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3181	34501201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3182	34502203	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3183	34504501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3184	34504701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3185	34507401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3186	34508801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3187	34509001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3188	34509301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3189	34509401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3190	34509601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3191	34510701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3192	34510801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3193	34512001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3194	34513301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3195	34514001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3196	34515801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3197	34517901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3198	34518201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3199	34518701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3200	34518801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3201	34520001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3202	34520101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3203	34520701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3204	34520801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3205	34520802	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3206	34522301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3207	34523701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3208	34524401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3209	34524501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3210	34524502	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3211	34525101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3212	34527401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3213	34528901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3214	34528902	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3215	34528903	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3216	34530501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3217	34531301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3218	34531401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3219	34531701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3220	34532201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3221	34532501	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3222	34532601	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3223	34532701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3224	34532801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3225	34532901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3226	34533001	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3227	34533101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3228	34533102	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3229	34533201	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3230	34533202	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3231	34533301	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3232	34533501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3233	34533502	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3234	34533701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3235	34533702	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3236	34533801	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3237	34533901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	246	11,053	246	10,985
3238	34534101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3239	34534701	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3240	34534901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3241	34535001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3242	34535101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3243	34535201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3244	34535401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3245	34535801	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3246	34535901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3247	34536001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3248	34536101	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3249	34536102	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3250	34536201	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3251	34536301	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3252	34536401	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
3253	34536501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3254	34536502	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3255	34536601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3256	34536701	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3257	34537001	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3258	34537101	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3259	34537301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3260	34537401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3261	34537402	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3262	34537403	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	290	10,996	290	10,986
3263	34537501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3264	34537801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	246	11,053	246	10,985
3265	34537902	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3266	34537903	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3267	34538001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3268	34538102	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3269	34538103	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3270	34538201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3271	34538301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3272	34538501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3273	34538601	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3274	34538701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3275	34539101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3276	34539102	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3277	34539201	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3278	34539301	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3279	34539302	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3280	34539401	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3281	34539501	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3282	34539801	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
3283	34539901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3284	34539902	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3285	34540103	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3286	34540104	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3287	34540105	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3288	34540106	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
3289	34540201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	290	10,996	290	10,986
3290	34540401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3291	34540402	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3292	34540501	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3293	34540601	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3294	34540602	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
3295	34540701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3296	34540702	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3297	34540801	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	290	10,996	290	10,986
3298	34540802	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3299	34541001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3300	34541101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3301	34541201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3302	34541202	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3303	34541501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3304	34541601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3305	34541602	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3306	34541603	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3307	34541901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3308	34542001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3309	34542201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3310	34542202	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3311	34542301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3312	34542601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3313	34542901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3314	34543201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3315	34543301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3316	34543501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3317	34543602	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3318	34543701	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3319	34543702	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3320	34543801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3321	34544201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3322	34544202	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3323	34544204	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3324	34544301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3325	34544401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3326	34544601	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3327	34545101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3328	34545102	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3329	34545401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3330	34545501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3331	34545601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3332	34546001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3333	34546002	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3334	34546003	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3335	34546101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3336	34546201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3337	34546301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3338	34546401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3339	34546501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3340	34546801	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3341	34546802	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3342	34546901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3343	34546902	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3344	34546903	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3345	34547001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3346	34547101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3347	34547201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3348	34547301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3349	34547501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3350	34547601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3351	34547602	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3352	34547701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3353	34547901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3354	34548101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3355	34548102	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3356	34548201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3357	34548301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3358	34548501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3359	34548601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3360	34548602	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3361	34548701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3362	34549201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3363	34549501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3364	34550301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3365	34550401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3366	34550601	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3367	34550602	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3368	34550603	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3369	34550801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3370	34550802	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3371	34551001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3372	34551101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3373	34551201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3374	34551301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3375	34551302	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3376	34551501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3377	34551601	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3378	34551801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3379	34551802	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3380	34551901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3381	34552301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3382	34552302	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3383	34552303	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3384	34552501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3385	34553301	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3386	34553302	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3387	34553501	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
3388	34554001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3389	34555001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3390	34555801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
3391	34556001	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
3392	34557701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3393	34558201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3394	34558401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3395	34559902	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3396	34559903	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3397	34560301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3398	34560302	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3399	34560303	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3400	34560304	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3401	34560305	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3402	34560306	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3403	34560307	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3404	34560308	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3405	34560309	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3406	34560311	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3407	34560312	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3408	34560701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3409	34560801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3410	34560802	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3411	34561001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3412	34561002	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3413	34561101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3414	34561401	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3415	34561402	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3416	34562901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3417	34563501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3418	34564101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3419	34564102	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3420	34564401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3421	34564701	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3422	34564702	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3423	34564901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3424	34565501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3425	34565502	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3426	34565503	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3427	34565504	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3428	34565505	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3429	34565506	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
3430	34565507	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3431	34565510	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
3432	34565511	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3433	34565512	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3434	34565513	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3435	34565515	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
3436	34565601	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3437	34565602	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3438	34566401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3439	34566902	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3440	34566903	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3441	34567401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3442	34567901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3443	34568401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3444	34568402	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3445	34568403	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3446	34568701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3447	34569001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3448	34569301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3449	34569701	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3450	34569702	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3451	34569703	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3452	34569704		-		-	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3453	34569705	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3454	34569901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3455	34570103	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3456	34570105	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3457	34570201	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3458	34570501	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3459	34570502		-		-	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3460	34571301	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3461	34571401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3462	34571601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3463	34571602	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3464	34571603	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3465	34571701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3466	34571702	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3467	34571901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3468	34572201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3469	34572202	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3470	34572203	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3471	34572401	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3472	34572501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3473	34572601	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3474	34572602	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3475	34572701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3476	34572901	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3477	34572902	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3478	34573001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3479	34573101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3480	34573102		-		-	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3481	34573501	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3482	34573504	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
3483	34573505	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
3484	34573701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3485	34573702	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3486	34574301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3487	34574702	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3488	34574901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3489	34575301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3490	34575401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3491	34575501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3492	34575901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3493	34576801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3494	34576901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3495	34577001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3496	34577101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3497	34577201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3498	34577302	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3499	34577303	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3500	34577401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3501	34577601	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3502	34577801	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3503	34577802	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3504	34577901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3505	34578101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3506	34578102	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3507	34578201	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3508	34578202	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3509	34578301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3510	34578401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3511	34579101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3512	34579401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3513	34579601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3514	34579603	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3515	34579604	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3516	34579605	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3517	34579606	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3518	34579607	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3519	34579701	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3520	34579901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3521	34580001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3522	34580002	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3523	34580101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3524	34580601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	246	11,053	246	10,985
3525	34580801	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3526	34581001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3527	34581003	267	10,901	267	10,939	267	10,919	267	10,93	267	10,96	267	10,94	267	10,994	267	11,047	267	11,027	267	11,038	267	11,031	267	10,982
3528	34581101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3529	34581201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3530	34581301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3531	34581302	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3532	34581401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
3533	34582201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3534	34582401	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3535	34582402	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3536	34582501	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3537	34583401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
3538	34583701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3539	34583702	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3540	34584001	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
3541	34584201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3542	34584301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3543	34584501	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3544	34584601	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3545	34584701	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
3546	34585401	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3547	34585601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3548	34585901	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3549	34586001	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3550	34586201	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3551	34586301	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3552	34586401	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3553	34586801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3554	34587001	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3555	34587901	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3556	34588001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3557	34588201	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3558	34588203	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3559	34588301	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3560	34588501	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3561	34588701	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3562	34588801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3563	34588901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3564	34589101	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3565	34589401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3566	34589801	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3567	34590101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3568	34590301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3569	34590401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3570	34590501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3571	34590601	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3572	34590901	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3573	34591201	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3574	34591301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3575	34591501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3576	34591801	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3577	34591901	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3578	34591902	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3579	34592401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3580	34593001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3581	34593101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3582	34593501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3583	34593601		-		-		-		-		-		-		-		-		-		-	168	10,949	168	10,965
3584	34593801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
3585	34594001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3586	34594401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3587	34594501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3588	34594601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3589	34594602	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3590	34594701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3591	34594702	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3592	34595001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3593	34595101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3594	34595201	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3595	34595401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3596	34595801	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3597	34595901	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3598	34596001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3599	34596101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3600	34596201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3601	34596601	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3602	34596602	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3603	34596801	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3604	34597001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3605	34597201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3606	34597501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3607	34598101	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3608	34598201	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3609	34598301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3610	34598401	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3611	34598701	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3612	34598801	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3613	34599001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3614	34599201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3615	34599301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3616	34600601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3617	34600901	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3618	34601001	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3619	34601301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3620	34601501	157	10,849	157	10,943	157	10,923	157	10,924	157	10,959	157	10,91	157	10,898	157	10,88	157	10,949	157	10,958	157	11,026	157	10,991
3621	34601601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3622	34602101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
3623	34602102	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3624	34602103	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3625	34602201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
3626	34602301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3627	34602302	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3628	34602501	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
3629	34602601	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3630	34603101	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3631	34603201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3632	34603401	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3633	34603601	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3634	34603602	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3635	34603603	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3636	34603701	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3637	34604101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3638	34604102	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3639	34605001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3640	34605101	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3641	34605401	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
3642	34605501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3643	34605701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3644	34606001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3645	34606002	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
3646	34606201	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3647	34606202	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3648	34606301	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3649	34606601	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3650	34606602	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3651	34606701	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3652	34606801	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3653	34607001	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
3654	34607002	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
3655	34607101	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3656	34607201	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3657	34607301	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3658	34607302	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3659	34607401	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
3660	34607801	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3661	34607802	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3662	34608001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3663	34608101	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3664	34608201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3665	34608301	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3666	34608401	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3667	34608501	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3668	34608601	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3669	34608701	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
3670	34608702	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
3671	34608801	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3672	34609201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3673	34609202	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
3674	34609501	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3675	34609702	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3676	34609801	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3677	34609903	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3678	34610001	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3679	34610101	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
3680	34610201	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3681	34610301	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3682	34610401	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3683	34610501	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
3684	34610601	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
3685	34610801	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
3686	34610901	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
3687	34611001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3688	34611101	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3689	34611401	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
3690	34611501	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3691	34611502	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3692	34611702	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3693	34611704	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3694	34611705	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3695	34611801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3696	34611802	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3697	34612101	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3698	34612201	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3699	34612202	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3700	34612203	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3701	34612204	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3702	34612205	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3703	34612301	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3704	34612401	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
3705	34612403	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
3706	34612501	125	10,951	125	11,11	125	11,128	125	11,133	125	11,077	125	11,149	125	11,218	125	11,177	125	11,07	125	11,109	125	11,183	125	11,147
3707	34612602	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3708	34612801	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
3709	34612803	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
3710	34612901	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3711	34613101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3712	34613301	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
3713	34613501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3714	34613502	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
3715	34613503	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3716	34613701	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3717	34613801	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3718	34613901	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3719	34614001	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
3720	34614101	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3721	34614201	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3722	34614301	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
3723	34614401	32	10,919	32	11,048	32	11,134	32	11,05	32	11,086	32	11,12	32	11,033	32	11,043	32	11,021	32	10,992	32	11,102	32	11,032
3724	34614501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3725	34614701	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3726	34614801	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
3727	34614901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3728	34614902	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3729	34615001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3730	34615002	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
3731	34615101	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3732	34615501	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3733	34615701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3734	34615801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3735	34615802	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3736	34615901	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3737	34616001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3738	34616102	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3739	34616103	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3740	34616301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3741	34616401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3742	34616703	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3743	34616901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3744	34616902	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3745	34616903	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3746	34617002	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3747	34617202	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3748	34617501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3749	34617503	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3750	34617504	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3751	34617505	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3752	34617601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3753	34617702	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
3754	34617703	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
3755	34617704	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3756	34617801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3757	34617901	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3758	34618101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3759	34618201	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3760	34618301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3761	34618401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3762	34618501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3763	34618502	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3764	34618503	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3765	34618701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3766	34618801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3767	34618803	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3768	34618804	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3769	34619101	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
3770	34619201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3771	34619202	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3772	34619301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3773	34619501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3774	34619502	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3775	34619503	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3776	34619901	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3777	34620301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3778	34620501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3779	34620502	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3780	34620601	234	10,919	234	11,053	234	11,049	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3781	34620701	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
3782	34620801	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
3783	34620802	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3784	34621201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3785	34621202	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3786	34621203	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3787	34621302	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3788	34621501	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3789	34621502	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3790	34621503	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3791	34621901	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3792	34621902	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
3793	34622001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3794	34622201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3795	34622202	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3796	34622203	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3797	34622204	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3798	34622205	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3799	34622206	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3800	34622207	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3801	34622208	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3802	34622301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3803	34622303	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3804	34622307	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3805	34622701	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	130	11,011	130	10,961	130	10,955	130	10,985	130	10,973
3806	34622702	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3807	34622801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3808	34623001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3809	34623002	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3810	34623401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	130	11,011	130	10,961	130	10,955	130	10,985	130	10,973
3811	34623601	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3812	34624001	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3813	34624002	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3814	34624003	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
3815	34624101	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3816	34624202	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3817	34624301	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3818	34624401	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	110	11,037
3819	34624501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3820	34624502	173	10,903	173	11,019	173	11,033	173	11,009	173	11,033	173	10,981	173	11,055	173	11,012	173	11,007	173	10,991	173	11,039	173	11,028
3821	34624601	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3822	34624801	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3823	34624901	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3824	34625201	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3825	34625303	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
3826	34625304	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
3827	34625305	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3828	34625401	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3829	34625501	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3830	34625502	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3831	34625804	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3832	34626401	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3833	34626601	76	10,851	76	10,8	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3834	34626701	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3835	34627002	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3836	34627101	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3837	34627102	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3838	34627201	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3839	34627501	69	10,875	69	10,942	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3840	34627901	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3841	34627902	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3842	34627904	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3843	34627906	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3844	34628201	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
3845	34628302	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3846	34628401	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	76	10,948	76	10,981	243	10,479	250	11,072	76	10,924	76	10,848
3847	34628402	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
3848	34628403	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3849	34628501	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
3850	34628601	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3851	34628602	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3852	34628901	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3853	34629001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
3854	34629301	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
3855	34629302	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
3856	34629303	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3857	34629401	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
3858	34629702	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3859	34630001	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3860	34630201	69	10,875	69	10,942	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3861	34630301	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
3862	34630403	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3863	34630702	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3864	34630703	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3865	34630704	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
3866	34630801	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3867	34630802	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3868	34630803	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3869	34630804	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3870	34630901	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3871	34631001	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3872	34631102	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3873	34631103	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
3874	34631301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3875	34631302	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3876	34631401	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3877	34631402	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3878	34631501	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
3879	34631503	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
3880	34631601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
3881	34631701	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3882	34631801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3883	34631901	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3884	34632001	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3885	34632101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3886	34632102	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3887	34632201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3888	34632401	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3889	34632402	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3890	34632501	69	10,875	69	10,942	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3891	34632502	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3892	34632601	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3893	34632801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3894	34632901	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
3895	34633001	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3896	34633101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
3897	34633401	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3898	34633501	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3899	34633502	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	243	10,479	243	10,784	243	10,563	243	10,468
3900	34633902	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3901	34634001	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
3902	34634002	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
3903	34634101	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	76	10,981	243	10,479	243	10,784	243	10,563	243	10,468
3904	34634201	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3905	34634301	204	10,706	204	10,587	204	10,469	204	10,634	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
3906	34634303	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
3907	34634304	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3908	34634401	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	243	10,479	243	10,784	243	10,563	243	10,468
3909	34634501	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3910	34634502	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
3911	34634503	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
3912	34634601	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	76	10,981	76	10,98	243	10,784	243	10,563	243	10,468
3913	34634701	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
3914	34634702	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
3915	34634703	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3916	34634901	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	243	10,479	243	10,784	243	10,563	243	10,468
3917	34635001	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	76	10,98	250	11,072	243	10,563	243	10,468
3918	34635301	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3919	34635401	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3920	34635801	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3921	34635802	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3922	34635803	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3923	34635901	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
3924	34635902	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
3925	34636101	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3926	34636102	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3927	34636302	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
3928	34636303	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
3929	34636401	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3930	34636601	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3931	34636701	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3932	34636702	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3933	34637001	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3934	34637201	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3935	34637301	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3936	34638001	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3937	34638501	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3938	34638502	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3939	34638601	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3940	34638603	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3941	34639001	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3942	34639101	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3943	34639102	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3944	34639301	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3945	34639302	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3946	34639601	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
3947	34639901	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
3948	34640101	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3949	34640102	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3950	34640201	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3951	34640202	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3952	34641401	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3953	34641501	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	49	10,861	39	10,425	39	10,423	49	10,893	49	10,561
3954	34641502	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
3955	34641601	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
3956	34641602		-		-		-		-		-	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
3957	34641701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
3958	34642102	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3959	34643101	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3960	34644101	212	10,947	212	10,82	212	11,049	212	10,973	212	11,054	212	11,035	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3961	34644102	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
3962	34644401	212	10,947	212	10,82	212	11,049	212	10,973	212	11,054	212	11,035	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
3963	34644601	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3964	34644602	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3965	34644603	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3966	34644701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3967	34645201	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
3968	34645301	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3969	34645601	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3970	34645801	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3971	34646401		-		-		-		-		-	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
3972	34646701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
3973	34647002	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3974	34647101	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3975	34647103	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3976	34647501	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3977	34647601	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3978	34647901	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
3979	34648001	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3980	34648201	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
3981	34648301	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3982	34648401	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3983	34648601	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
3984	34648603	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
3985	34648701	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3986	34648801	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3987	34649001	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3988	34649002	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3989	34649003	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3990	34649101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
3991	34649401	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3992	34649601	5222	10,43	5222	10,432	5222	10,431	5222	10,435	5222	10,435	5222	10,434	5222	10,435	5222	10,433	5222	10,433	5222	10,429	5222	10,429	5222	10,428
3993	34649801	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3994	34650101	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3995	34650301	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3996	34650302	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3997	34650401	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
3998	34650701	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
3999	34651201	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
4000	34651301	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4001	34651401	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
4002	34651402	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
4003	34651403	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
4004	34652201	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4005	34652501	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4006	34652701	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4007	34652901	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4008	34653001	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4009	34653101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4010	34653102	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4011	34653401	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4012	34654101	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4013	34654201	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4014	34654202	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4015	34654401	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4016	34654601	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4017	34654701	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
4018	34654801	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4019	34654802	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
4020	34654901	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4021	34655101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4022	34655201	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4023	34655701	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
4024	34656001	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4025	34656101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
4026	34656102	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
4027	34656201	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
4028	34656202	70	10,528	70	10,418	70	10,422	70	10,434	39	10,423	39	10,429	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
4029	34656401	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4030	34656501	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	54	10,921	54	10,864	54	10,653	54	10,46

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4031	34656701	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4032	34656901	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4033	34657001	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4034	34657101	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4035	34657102	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4036	34657201	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4037	34657202	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4038	34657301	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	54	10,706	54	10,9	54	10,921	54	10,864	54	10,653	54	10,46
4039	34657501	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4040	34658401	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4041	34658901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4042	34659201	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4043	34659501	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4044	34659801	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4045	34660601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4046	34661101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4047	34661501	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4048	34661601	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4049	34662001	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4050	34663601	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4051	34664101	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4052	34664102	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4053	34664301	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4054	34664601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4055	34664701	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
4056	34664901	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4057	34665101	35	10,932	35	10,698	176	11,043	35	11,154	176	10,964	176	10,954	176	11,073	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
4058	34665102	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	35	11,382	35	11,388	35	11,263	35	11,155	176	11,016	35	11,168
4059	34665801	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
4060	34665802	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4061	34665901	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4062	34666001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
4063	34666201	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
4064	34666301	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
4065	34666401	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
4066	34666601	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
4067	34666701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4068	34666801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4069	34666901	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4070	34666902	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4071	34666903	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4072	34667001	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4073	34667401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4074	34667601	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4075	34667801	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4076	34668001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4077	34668201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4078	34668202	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4079	34668203	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4080	34668301	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
4081	34668302	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4082	34668901	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4083	34669101	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4084	34669301	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4085	34669801	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
4086	34669901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4087	34670201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4088	34670501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4089	34671001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4090	34671101	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
4091	34671102	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
4092	34671401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4093	34671402	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4094	34671701	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
4095	34671901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4096	34672501	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4097	34672701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4098	34673201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4099	34673202	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4100	34673401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4101	34673402	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4102	34673601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4103	34673602	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4104	34673801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4105	34673901	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4106	34673903	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4107	34673904	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
4108	34673905	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4109	34674401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4110	34674501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4111	34674602	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4112	34674604	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4113	34675001	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4114	34675201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4115	34675603	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4116	34675605	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4117	34675606	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4118	34675607	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4119	34675801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4120	34675802	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4121	34676001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4122	34676002	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4123	34676101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
4124	34676301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4125	34676501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4126	34676502	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4127	34676701	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4128	34677101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
4129	34677501	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4130	34677901	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
4131	34678001	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
4132	34678101	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
4133	34678201	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4134	34678202	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4135	34678501	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
4136	34678502	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4137	34679001	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
4138	34679002	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
4139	34679101	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
4140	34679401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4141	34679601	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4142	34679701	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4143	34680101	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4144	34680201	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4145	34680301	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
4146	34680601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4147	34681301	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
4148	34681501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4149	34681901	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4150	34681902	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4151	34681903	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4152	34682101	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4153	34682201	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4154	34682202	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4155	34682401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
4156	34682501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4157	34682601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
4158	34683001	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
4159	34683301	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4160	34683401	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4161	34683402	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4162	34683501	212	10,947	212	10,82	212	11,049	212	10,973	212	11,054	212	11,035	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
4163	34683601	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4164	34683701	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4165	34684001	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4166	34684101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4167	34684301	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4168	34684401	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4169	34684501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4170	34684801	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4171	34685001	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4172	34685101	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4173	34685201	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
4174	34685202	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4175	34685301	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4176	34685401	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4177	34685701	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4178	34685801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4179	34686001	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4180	34686201	212	10,947	212	10,82	212	11,049	212	10,973	212	11,054	212	11,035	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
4181	34686501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4182	34686601	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4183	34687101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4184	34687102	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4185	34687301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4186	34687401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4187	34687901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4188	34688001	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075
4189	34688201	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4190	34688301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4191	34688302	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4192	34688501	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4193	34688502	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4194	34688601	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4195	34688602	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075
4196	34688603	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075
4197	34688701	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4198	34688702	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4199	34688801	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4200	34688802	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4201	34689201	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075
4202	34689301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4203	34689401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
4204	34689801	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4205	34689902	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4206	34690101	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075
4207	34690301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4208	34690302	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4209	34690303	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
4210	34690401	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4211	34690601	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4212	34690701	123	11,127	123	11,172	304	10,942	304	11,025	123	11,065	123	11,044	304	10,951	123	11,123	123	11,12	304	10,941	123	11,093	123	11,075

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4213	34691101	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4214	34691301	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4215	34691501	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4216	34691601	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4217	34691701	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4218	34691801	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4219	34691802	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4220	34692201	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4221	34692501	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4222	34692801	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4223	34692802	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4224	34693101	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4225	34693102	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
4226	34693601	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4227	34693602	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4228	34693603	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4229	34693701	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4230	34693901	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4231	34694101	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4232	34694301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4233	34694401	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
4234	34694601	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4235	34694701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4236	34694801	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4237	34694802	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4238	34694803	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4239	34695201	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022
4240	34695301	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4241	34695302	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4242	34695303	54	10,665	54	10,487	54	10,569	54	10,572	54	10,543	54	10,516	178	11,089	178	11,133	83	11,153	54	10,864	54	10,653	54	10,46
4243	34695601	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4244	34695801	206	10,78	206	10,551	206	10,76	206	10,655	260	10,543	260	10,524	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
4245	34695901	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
4246	34696201	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022
4247	34696301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4248	34696501	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4249	34697401	280	11,108	83	10,484	83	10,693	280	11,063	280	11,034	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	280	11,07	83	10,627
4250	34697402	83	10,789	38	10,854	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	38	11,042
4251	34697403	280	11,108	83	10,484	83	10,693	280	11,063	280	11,034	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	280	11,07	83	10,627
4252	34697404	83	10,789	38	10,854	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	38	11,042
4253	34697405	83	10,789	38	10,854	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	38	11,042
4254	34697901	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4255	34698001	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4256	34698501	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
4257	34698601	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4258	34698602	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4259	34698701	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4260	34698801	280	11,108	280	11,096	280	11,118	280	11,063	280	11,034	280	11,049	280	11,092	280	11,127	280	11,118	280	11,1	280	11,07	280	11,022
4261	34699101	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4262	34699102	206	10,78	206	10,551	206	10,76	206	10,655	206	10,771	206	10,894	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
4263	34699103	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
4264	34699501	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4265	34699801	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4266	34700001	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4267	34700301	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4268	34700501	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4269	34700701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4270	34701101	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4271	34701601	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4272	34701602	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4273	34701603	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4274	34701604	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
4275	34701701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4276	34701801	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
4277	34702301	178	10,705	178	10,475	178	10,652	178	10,575	178	10,531	178	10,879	178	11,089	178	11,133	178	11,126	178	11,112	178	10,73	178	10,484
4278	34702501	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4279	34702601	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4280	34702602	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4281	34702604	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4282	34702801	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4283	34702901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4284	34703001	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4285	34703301	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4286	34703901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4287	34704601	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4288	34704801	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
4289	34705001	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
4290	34705101	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4291	34705401	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
4292	34706201	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4293	34706301	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4294	34706401	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4295	34706601	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4296	34706901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4297	34707401	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4298	34707501	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4299	34707601	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4300	34707701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4301	34707901	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4302	34708201	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4303	34708401	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4304	34708501	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4305	34708601	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4306	34708602	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4307	34708603	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4308	34708701	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4309	34709002	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4310	34709501	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4311	34710201	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4312	34710301	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4313	34710302	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4314	34711201	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
4315	34711701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4316	34712201	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4317	34712801	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4318	34713401	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4319	34713901	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4320	34714601	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	41	10,87	41	10,722
4321	34714602	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	140	11,081	140	11,09
4322	34714603	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4323	34714604	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4324	34715301	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4325	34715601	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4326	34716301	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4327	34716501	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4328	34716601	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4329	34716701	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4330	34716702	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4331	34716901	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4332	34717301	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4333	34717501	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4334	34718001	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4335	34718301	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4336	34718401	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4337	34718601	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4338	34718701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4339	34718901	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4340	34719201	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
4341	34719301	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4342	34719501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4343	34719601	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4344	34719801	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4345	34720001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4346	34720201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4347	34720501	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4348	34721001	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4349	34721601	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4350	34721901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4351	34721902	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4352	34721903	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4353	34722501	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4354	34722701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4355	34723101	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4356	34723201	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4357	34723401	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4358	34723402	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4359	34723501	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4360	34723901	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4361	34723902	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4362	34723903	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4363	34723904	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4364	34724001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4365	34724301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4366	34725101	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4367	34725102	67	11,165	67	11,2	67	11,127	67	11,085	67	11,101	67	11,077	67	11,122	67	11,179	67	11,174	67	11,14	67	11,123	67	11,106
4368	34725103	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4369	34725901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4370	34726201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4371	34726401	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4372	34726402	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4373	34726403	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
4374	34726701	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
4375	34727001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4376	34727101	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4377	34727301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4378	34727401	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4379	34727402	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4380	34727501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4381	34727701	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4382	34728001	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
4383	34728002	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4384	34728401	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4385	34728501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
4386	34728601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4387	34728701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4388	34728702	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4389	34728801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4390	34728901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4391	34729002	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4392	34729003	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4393	34729005	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4394	34729101	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4395	34729201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4396	34729301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4397	34729401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4398	34729601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4399	34729801	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4400	34729901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4401	34730501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4402	34730701	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4403	34730901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4404	34731101	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4405	34731102	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
4406	34731701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4407	34733501	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4408	34734301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4409	34735301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4410	34735901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4411	34736301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4412	34736801	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4413	34737501	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4414	34737901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4415	34739401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4416	34740201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4417	34740401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4418	34740501	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4419	34740701	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	95	11,065	95	11,048	95	11,036
4420	34740801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4421	34740901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4422	34741001	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4423	34741101	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4424	34741201	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4425	34741301	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4426	34741501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4427	34741601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4428	34741701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4429	34741801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4430	34742001	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4431	34742501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4432	34742502	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4433	34742601	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4434	34742701	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4435	34742901	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4436	34743001	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4437	34743301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4438	34743401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4439	34743601	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4440	34743701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4441	34743901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4442	34744001	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4443	34744101	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4444	34744201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4445	34744301	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4446	34744401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4447	34744501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4448	34744601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4449	34744901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4450	34745101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4451	34745102	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4452	34745103	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4453	34745201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4454	34745202	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4455	34745401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4456	34745701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4457	34745801	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4458	34746001	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4459	34746201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4460	34746601	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4461	34746701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4462	34746801	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4463	34746901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4464	34747101	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
4465	34747201	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4466	34747301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4467	34747401	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4468	34748101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4469	34748301	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4470	34748401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4471	34748501	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4472	34748601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4473	34748801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4474	34749101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4475	34749201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4476	34749401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4477	34749601	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4478	34749801	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4479	34749901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4480	34750701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4481	34750801	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4482	34750901	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4483	34751001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	273	10,43	273	10,428
4484	34751101	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4485	34751201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4486	34751301	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4487	34751401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4488	34751501	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4489	34751502	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	95	11,094	95	11,09	95	11,065	273	10,43	273	10,428
4490	34751701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4491	34752101	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4492	34752301	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4493	34752401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4494	34752501	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4495	34752601	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
4496	34752901	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4497	34753201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4498	34753401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4499	34753501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4500	34753601	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4501	34753901	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4502	34754001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4503	34754101	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4504	34754201	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4505	34754401	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
4506	34754601	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4507	34755001	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4508	34755101	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
4509	34755201	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4510	34755401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4511	34755501	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4512	34755601	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4513	34755701	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4514	34755901	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4515	34756001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4516	34756701	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4517	34756801	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
4518	34757401	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4519	34757501	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4520	34757601	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4521	34757701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4522	34757901	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4523	34758001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4524	34758101	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4525	34758301	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4526	34758401	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4527	34758601	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4528	34758701	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4529	34759001	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4530	34759101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4531	34759301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4532	34759601	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4533	34759701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4534	34760101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4535	34760201	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4536	34760501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4537	34760601	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4538	34760801	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4539	34760802	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4540	34760901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4541	34761001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4542	34761201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4543	34761501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4544	34761701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4545	34761901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4546	34762101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4547	34762501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4548	34762601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4549	34762701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4550	34762801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4551	34763001	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4552	34763301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4553	34763401	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4554	34763402	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4555	34763403	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4556	34763404	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4557	34763405	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4558	34763406	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4559	34763701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4560	34764101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4561	34764201	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4562	34764301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4563	34764501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4564	34764502	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4565	34764801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4566	34765301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4567	34765701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4568	34765801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4569	34765901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4570	34766101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4571	34767001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4572	34767201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
4573	34767301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4574	34767401	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
4575	34767901	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4576	34768001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4577	34768101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4578	34768201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4579	34768301	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4580	34768401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4581	34768501	273	10,436	273	10,439	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4582	34768502	95	11,085	273	10,439	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4583	34768503	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4584	34768601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4585	34768602	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4586	34768801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4587	34769101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4588	34769102	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4589	34769201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4590	34769401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4591	34769501	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4592	34769701	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4593	34769801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4594	34770001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4595	34770201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4596	34770401	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4597	34770601	95	11,085	273	10,439	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4598	34770701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4599	34770801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4600	34770901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4601	34771001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4602	34771101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4603	34771301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4604	34771401	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4605	34771501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4606	34771601	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4607	34771801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4608	34771901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4609	34772001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4610	34772101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4611	34772201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4612	34772501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4613	34772601	95	11,085	273	10,439	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4614	34772701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4615	34772901	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4616	34773001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4617	34773201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
4618	34773301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4619	34773501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4620	34773601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4621	34773801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4622	34773901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4623	34774001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4624	34774301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4625	34774401	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4626	34774501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4627	34774701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4628	34774901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4629	34775101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4630	34775201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4631	34775501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4632	34775901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4633	34776001	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4634	34776601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4635	34776701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4636	34776801	273	10,436	273	10,439	273	10,436	273	10,436	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
4637	34776901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4638	34777401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4639	34777701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4640	34778301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4641	34778401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4642	34778501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4643	34778601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4644	34779301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4645	34779401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4646	34779601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4647	34780301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4648	34780601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4649	34780901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4650	34781001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4651	34781002	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4652	34781301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4653	34781401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4654	34781801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4655	34782901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4656	34783001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4657	34783301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4658	34783901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4659	34784201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4660	34784601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4661	34784801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4662	34784802	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4663	34785901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4664	34786301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4665	34786901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4666	34787101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4667	34787201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4668	34787401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4669	34787501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4670	34787901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4671	34788301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4672	34788501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4673	34788601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4674	34789301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4675	34789501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4676	34790401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4677	34791001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4678	34791201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4679	34791202	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4680	34791203	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4681	34791301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4682	34791601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4683	34792101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4684	34792601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4685	34792701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4686	34792801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4687	34793101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4688	34793301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4689	34793601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4690	34793801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
4691	34794201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4692	34794701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
4693	34795101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4694	34795401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
4695	34795501	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4696	34795601	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4697	34796001	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4698	34796002	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4699	34796003	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4700	34796301	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4701	34796701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4702	34797201	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4703	34797401	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4704	34797701	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
4705	34798501	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4706	34798701	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4707	34799301	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4708	34799401	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4709	34799501	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4710	34799901	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4711	34800101	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4712	34800201	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4713	34800302	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4714	34800303	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4715	34800304	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4716	34800501	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4717	34800701	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4718	34800901	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4719	34801201	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4720	34801601	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4721	34801701	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4722	34801901	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4723	34802001	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4724	34802101	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4725	34802301	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4726	34802401	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4727	34802501	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4728	34802601	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4729	34802701	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4730	34802801	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4731	34802901	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4732	34802902	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4733	34803401	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4734	34803802	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4735	34804001	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
4736	34804101	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4737	34804901	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4738	34804902	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4739	34804903	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
4740	34805201	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4741	34805202	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4742	34805301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4743	34806201	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
4744	34806301	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4745	34806601	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4746	34807901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4747	34808301	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4748	34808701	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4749	34808702	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4750	34809201	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4751	34809701	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4752	34809702	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4753	34809901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4754	34809902	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4755	34809903	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4756	34810201	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4757	34810601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4758	34810602	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4759	34810901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
4760	34811101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4761	34811201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4762	34811401	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4763	34811801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4764	34812001	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4765	34812101	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4766	34812401	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4767	34813001	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4768	34813002	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4769	34813101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4770	34813201	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4771	34813301	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4772	34813401	46	11,093	46	11,123	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4773	34813601	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4774	34813701	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4775	34813901	46	11,093	46	11,123	40	10,431	46	11,115	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4776	34814101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4777	34814201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4778	34814401	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
4779	34814801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4780	34815101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4781	34815201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4782	34815601	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4783	34815801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4784	34816001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4785	34816301	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4786	34816801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4787	34817001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4788	34817201	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4789	34817301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4790	34817501	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4791	34817601	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4792	34817702	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4793	34818001	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4794	34818201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4795	34818301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4796	34818302	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4797	34818601	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4798	34818901	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4799	34819001	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4800	34819002	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4801	34819101	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4802	34819201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4803	34819301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4804	34819601	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4805	34819801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4806	34820101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4807	34820201	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4808	34820401	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4809	34820501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4810	34821201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4811	34821301	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4812	34821401	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4813	34821601	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4814	34821701	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4815	34822401	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4816	34822501	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4817	34823301	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4818	34823401	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4819	34823601	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4820	34823801	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
4821	34823802	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
4822	34823901	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4823	34824001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4824	34824101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4825	34824201	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4826	34824301	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4827	34824501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4828	34824601	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4829	34824701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4830	34824901	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4831	34825001	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
4832	34825101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
4833	34825401	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
4834	34825402	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4835	34825403	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
4836	34826301	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4837	34826701	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4838	34826901	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4839	34827401	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4840	34827601	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4841	34828001	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4842	34828401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4843	34828501	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4844	34828801	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4845	34828901	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4846	34829401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4847	34829501	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4848	34829502	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4849	34829901	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4850	34830101	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4851	34830201	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4852	34830301	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4853	34830401	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4854	34830501	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4855	34830901	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4856	34831201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4857	34831401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4858	34831601	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4859	34831901	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4860	34832001	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4861	34832101	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4862	34832301	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4863	34832501	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4864	34832701	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4865	34833101	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4866	34833301	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4867	34833401	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4868	34833901	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4869	34834001	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
4870	34834201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4871	34834801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4872	34834901	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4873	34835001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4874	34835201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4875	34835301	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4876	34835501	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4877	34835701	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4878	34835801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4879	34835901	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
4880	34836301	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4881	34836501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4882	34836701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4883	34836702	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4884	34836703	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4885	34837101	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4886	34837201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4887	34837202	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4888	34837203	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4889	34837301	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4890	34837401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4891	34837601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4892	34837801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4893	34837901	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
4894	34838201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
4895	34838801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4896	34838901	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4897	34839701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4898	34840001	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4899	34840101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4900	34840601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4901	34840801	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4902	34840901	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4903	34841001	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4904	34841101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4905	34841201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4906	34841202	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4907	34841301	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
4908	34841302	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4909	34841401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4910	34841402	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4911	34841601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4912	34841701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4913	34841801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4914	34841901	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4915	34842001	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4916	34842101	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4917	34842201	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4918	34842301	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4919	34842401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4920	34842501	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4921	34842601	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4922	34842602	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4923	34842701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4924	34842801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4925	34842901	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4926	34843001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4927	34843101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4928	34843201	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4929	34843401	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4930	34843402	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
4931	34843501	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4932	34843601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4933	34843701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4934	34843801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4935	34843901	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4936	34844001	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4937	34844101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4938	34844201	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4939	34844301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4940	34844401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4941	34844501	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4942	34844601	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4943	34844701	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4944	34844801	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4945	34844901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4946	34845001	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4947	34845201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
4948	34845301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4949	34845401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4950	34845501	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
4951	34845601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4952	34845701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4953	34845801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4954	34845901	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4955	34846101	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4956	34846201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4957	34846202	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
4958	34846301	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4959	34846401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
4960	34846701	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4961	34846801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4962	34847001	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
4963	34847002	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4964	34847201	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4965	34847401	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4966	34847501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4967	34847601	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
4968	34848201	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
4969	34848202	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4970	34848203	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
4971	34848401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4972	34848501	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4973	34848601	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4974	34848701	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4975	34848801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4976	34848901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4977	34849001	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4978	34849101	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4979	34849201	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4980	34849301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4981	34849501	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4982	34849601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4983	34849701	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
4984	34849801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4985	34849901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4986	34850001	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
4987	34850101	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4988	34850201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4989	34850401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4990	34850601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4991	34851001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4992	34851401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
4993	34851701	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4994	34852501	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4995	34852601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4996	34852901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4997	34853201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4998	34853301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
4999	34853401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5000	34853701	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5001	34853801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5002	34853901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5003	34854001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5004	34854801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5005	34855501	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5006	34855801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5007	34856801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5008	34857001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5009	34857201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5010	34857401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5011	34857801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5012	34857901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5013	34858201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5014	34858801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5015	34859001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5016	34859101	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5017	34859501	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5018	34860201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5019	34860301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5020	34860501	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5021	34860601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5022	34860701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5023	34860702	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5024	34860801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5025	34861001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5026	34861101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5027	34861201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5028	34861301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5029	34861701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5030	34862001	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5031	34862101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5032	34862201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5033	34862301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5034	34862401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5035	34862501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5036	34862801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5037	34862901	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5038	34863001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5039	34863201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5040	34863301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5041	34863401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5042	34863501	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5043	34863701	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5044	34863801	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5045	34863901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5046	34864001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5047	34864201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5048	34864301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5049	34864401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5050	34864501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5051	34864601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5052	34864701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5053	34864801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5054	34865001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5055	34865101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5056	34865201	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5057	34865301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5058	34865401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5059	34865501	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5060	34865601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5061	34865701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5062	34865801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5063	34865901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5064	34866001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5065	34866301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5066	34866302	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5067	34866401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5068	34866601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5069	34866801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5070	34867001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5071	34867101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5072	34867201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5073	34867301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5074	34867501	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5075	34867601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5076	34867701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5077	34867801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5078	34867901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5079	34868001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5080	34868301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5081	34868501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5082	34868601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5083	34868701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5084	34868801	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5085	34868901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5086	34869001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5087	34869101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5088	34869201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5089	34869301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5090	34869401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5091	34869501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5092	34869601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5093	34869701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5094	34869801	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5095	34870001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5096	34870101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5097	34870201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5098	34870301	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5099	34870302	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5100	34870601	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5101	34870701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5102	34870801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5103	34871001	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
5104	34871101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5105	34871201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5106	34871301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5107	34871401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5108	34871402	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5109	34871601	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5110	34871801	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5111	34872001	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5112	34872002	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5113	34872101	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5114	34872201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5115	34872301	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5116	34872401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5117	34872501	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5118	34872601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5119	34872701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5120	34872801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5121	34872901	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5122	34873001	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5123	34873101	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5124	34873401	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5125	34873501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5126	34874201	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5127	34874501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5128	34874801	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5129	34875201	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5130	34875601	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5131	34875701	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5132	34875801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5133	34876001	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5134	34876201	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5135	34876401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5136	34876701	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5137	34876901	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5138	34877001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5139	34877201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5140	34877501	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5141	34877601	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5142	34877701	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5143	34877801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5144	34878001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5145	34878101	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5146	34878701	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5147	34878801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5148	34879001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5149	34879401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5150	34879601	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5151	34879701	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5152	34880101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5153	34880301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5154	34880501	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5155	34881001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5156	34881101	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5157	34881201	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5158	34881202	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5159	34881301	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5160	34881401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5161	34881501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5162	34881701	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5163	34881801	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5164	34882201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5165	34883001	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5166	34883301	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5167	34883302	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5168	34883401	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5169	34883501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5170	34883801	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5171	34883901	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5172	34884101	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5173	34884201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5174	34884301	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5175	34884901	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5176	34885001	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5177	34885301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5178	34885501	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5179	34886401	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5180	34886501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5181	34886601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5182	34886701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5183	34887301	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5184	34887401	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5185	34887601	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5186	34887701	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5187	34887901	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5188	34888001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5189	34888101	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5190	34888501	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
5191	34888601	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5192	34889101	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5193	34889501	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5194	34889601	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5195	34889801	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5196	34890101	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5197	34890201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5198	34890401	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5199	34890801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5200	34890901	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5201	34891101	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5202	34891301	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5203	34891401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5204	34891501	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5205	34891701	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5206	34891801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5207	34892101	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5208	34892201	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5209	34892301	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5210	34892401	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5211	34892501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5212	34892601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5213	34892801	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5214	34893001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5215	34893501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5216	34893701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5217	34894001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5218	34894501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5219	34894801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5220	34895301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5221	34895501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5222	34895601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5223	34895701	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5224	34896001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5225	34896101	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5226	34896401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5227	34896601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5228	34896701	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5229	34896801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5230	34897101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5231	34897301	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5232	34897801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5233	34897901	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5234	34898201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5235	34898501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5236	34898701	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5237	34898801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5238	34898901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5239	34899001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5240	34899301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5241	34899601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5242	34900201	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5243	34900301	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5244	34900401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5245	34900501	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5246	34900601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5247	34900701	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5248	34901001	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5249	34901101	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5250	34901301	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5251	34901401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5252	34902001	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5253	34902501	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5254	34902601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5255	34902801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5256	34903401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5257	34903501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5258	34903801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5259	34904201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5260	34904301	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5261	34904302	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5262	34904601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5263	34904801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5264	34905001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5265	34905201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5266	34905501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5267	34905901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5268	34906101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5269	34906201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5270	34906801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
5271	34907001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5272	34907101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5273	34907501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5274	34907801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5275	34908001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5276	34908101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5277	34908201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
5278	34908401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5279	34908601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5280	34908701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5281	34909101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5282	34909201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5283	34910001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5284	34910401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5285	34910801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5286	34911001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
5287	34911201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5288	34911401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5289	34912001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5290	34912401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5291	34912901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5292	34913001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5293	34913101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5294	34913601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5295	34913901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5296	34914001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5297	34914101	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5298	34914301	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5299	34914401	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5300	34914501	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5301	34914601	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5302	34915101	64	10,932	64	11,007	64	10,986	64	10,938	64	10,958	64	10,936	64	10,975	64	11,014	64	11,009	64	10,976	64	10,937	64	10,901
5303	34915201	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5304	34915601	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5305	34915701	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5306	34915801	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5307	34915901	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5308	34916101	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5309	34916501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5310	34916801	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5311	34917001	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5312	34917301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5313	34917601	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5314	34917801	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5315	34917901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5316	34918501	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5317	34918701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5318	34918901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5319	34919301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5320	34919601	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5321	34919901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5322	34920201	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5323	34920901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5324	34921201	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5325	34921701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5326	34921702	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5327	34922601	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5328	34923001	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5329	34923101	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5330	34923401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5331	34923501	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5332	34925101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5333	34925201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5334	34925401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5335	34926201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5336	34926301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5337	34926401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5338	34926801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5339	34927101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5340	34927401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5341	34927801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5342	34929401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5343	34929402	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5344	34929501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5345	34930801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5346	34931201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5347	34932201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5348	34932901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5349	34934201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5350	34934301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5351	34935001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5352	34935101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5353	34935501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5354	34935601	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5355	34935701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5356	34935702	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5357	34935801	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5358	34936201	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5359	34936301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5360	34936401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5361	34936501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5362	34936502	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5363	34936601	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5364	34936801	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5365	34936901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5366	34937001	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5367	34937201	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5368	34937501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5369	34937701	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5370	34938001	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5371	34938301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5372	34938401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5373	34938501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5374	34938701	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5375	34938901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5376	34939301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5377	34939401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5378	34939501	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5379	34939502	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
5380	34940101	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5381	34940201	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5382	34940401	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5383	34940701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5384	34941001	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5385	34941301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5386	34942001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5387	34942101	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5388	34942201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5389	34942401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5390	34942801	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5391	34942901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5392	34943101	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5393	34943301	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5394	34943302	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5395	34943401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5396	34943501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5397	34943701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5398	34943801	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5399	34944201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5400	34944301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5401	34944401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5402	34944601	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5403	34944701	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5404	34944801	5206	11,804	5206	11,849	5206	11,876	5206	11,874	5206	11,97	5206	11,908	5206	11,81	5206	11,799	5206	11,802	5206	11,796	5206	12,015	5206	11,901
5405	34944901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5406	34945001	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5407	34945101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5408	34945301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5409	34945401	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5410	34945402	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
5411	34945501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5412	34945601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5413	34945701	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5414	34946001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5415	34946201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5416	34946401	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5417	34946501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5418	34946601	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5419	34946701	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5420	34946801	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
5421	34946901	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
5422	34947201	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5423	34947401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5424	34947701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5425	34947801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5426	34947901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5427	34948001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5428	34948101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5429	34948201	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5430	34948301	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5431	34948501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5432	34948601	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5433	34948701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5434	34948901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5435	34949101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5436	34949201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5437	34949401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5438	34949501	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5439	34949901	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5440	34950001	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5441	34950101	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5442	34950201	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5443	34950301	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5444	34950401	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5445	34950501	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5446	34950601	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5447	34950602	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5448	34950701	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5449	34950801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5450	34950901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5451	34951001	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	170	10,938	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
5452	34951101	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5453	34951501	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5454	34951801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5455	34952101	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5456	34952201	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5457	34952501	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5458	34952601	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5459	34953001	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5460	34982901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5461	34983201	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5462	34983701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5463	34983901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5464	34984001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5465	34984801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5466	34985101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5467	34985401	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	29	10,996	29	10,942
5468	34985901	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5469	34985902	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5470	34985903	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5471	34985904	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5472	34986001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5473	34986501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5474	34987001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5475	34987301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5476	34988001	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
5477	34988201	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
5478	34988401	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
5479	34988501	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
5480	34990401	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
5481	34991001	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
5482	34991101	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
5483	34991301	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
5484	34991501	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
5485	34992101	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
5486	34992701	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5487	34992901	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
5488	35002901	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284	5112	11,284
5489	35004602	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5490	35030801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5491	35030901	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
5492	35034601	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
5493	35035501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5494	35038801	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
5495	35040001	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
5496	35040501	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
5497	35040601	204	10,706	204	10,587	204	10,469	204	10,634	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
5498	35042401	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5499	35043301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5500	35045301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
5501	35048501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5502	35048901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5503	35049601	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
5504	35050002	161	10,87	161	10,947	161	10,916	161	10,942	161	10,935	161	10,912	161	10,912	161	11,001	161	10,972	161	10,995	161	10,961	161	10,938
5505	35050101	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5506	35050201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
5507	35050401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5508	35056001	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
5509	35058001	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
5510	35058902	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5511	35061801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5512	35064901	166	11,127	166	11,172	166	11,105	166	11,061	166	11,065	166	11,044	166	11,086	166	11,123	166	11,12	166	11,099	166	11,093	166	11,075

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5513	35065001	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
5514	35066701	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
5515	35066901	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
5516	35067301	69	10,875	69	10,942	69	10,957	69	10,962	69	10,932	69	10,979	69	11,061	69	11,031	69	10,992	69	11,026	69	11,045	69	11,001
5517	35067601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
5518	35068201	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
5519	35068301	31	10,863	31	10,926	31	10,941	31	10,945	31	10,913	31	10,97	31	11,039	31	11,014	31	10,976	31	11,011	31	11,028	31	10,982
5520	35068501	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
5521	35069201	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5522	35069801	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
5523	35070101	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947
5524	35070301	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
5525	35070401	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
5526	35070501	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
5527	35070601	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
5528	35070701	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
5529	35070801	20	10,918	20	10,93	20	10,91	20	10,805	20	10,879	20	10,916	20	10,858	20	10,92	20	10,897	20	10,943	20	10,912	20	10,949
5530	35070901	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
5531	35072101	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5532	35072201	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
5533	35072301	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
5534	35072501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5535	35072601	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
5536	35072901	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5537	35073301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5538	35073401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5539	35074001	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
5540	35074101	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
5541	35074801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5542	35074901	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
5543	35075301	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
5544	35075302	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
5545	35126101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5546	35126102	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5547	35126103	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5548	35126401	286	11,035	286	10,962	286	10,992	286	11,027	286	10,984	286	10,965	286	10,941	286	10,997	286	11,028	286	11,011	286	10,998	286	10,994
5549	35127201	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
5550	35127601	134	11,082	134	11,119	134	11,08	134	11,08	134	11,073	134	11,071	134	11,089	134	11,088	134	11,092	134	11,078	134	11,081	134	11,081
5551	35389501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
5552	35390901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5553	35399401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5554	35400101	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
5555	35413201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
5556	35418101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5557	35421001	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
5558	35470101	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
5559	35472701	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5560	35474201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5561	35476601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5562	35476701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5563	35477001	69	10,875	69	10,942	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
5564	35477201	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5565	35479601	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
5566	35479801	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
5567	35479901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5568	35480701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5569	35485201	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
5570	35492001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5571	35492101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5572	35493201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
5573	35493601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
5574	35493801	69	10,875	69	10,942	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
5575	35494101	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
5576	35494401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5577	35498201	201	11,067	201	11,131	201	11,076	201	11,052	201	11,026	201	11,015	201	11,066	201	11,021	201	10,881	201	11,051	201	10,976	201	11,235
5578	35498301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
5579	35500101	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5580	35500401	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
5581	35501201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5582	35503001	184	11,12	184	11,169	184	11,103	184	11,055	184	11,07	184	11,042	184	11,083	184	11,146	184	11,13	184	11,098	184	11,094	184	11,07
5583	35505601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5584	35505901	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
5585	35509201	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
5586	35516301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5587	35516801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5588	35517401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5589	35517501	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5590	35517601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5591	35518201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5592	35518701	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
5593	35519601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5594	35519901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5595	35521801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5596	35523701	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
5597	35524301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5598	35525801	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5599	35525901	199	10,82	199	10,724	199	10,858	199	10,845	199	10,992	199	11,025	199	11,078	199	11,121	199	11,134	199	11,082	199	10,836	199	10,72
5600	35526201	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
5601	35526801	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5602	35531401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5603	35532101	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5604	35532201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5605	35532501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5606	35532801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5607	35536801	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5608	35539701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5609	35546501	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5610	35546901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
5611	35548601	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	41	10,87	41	10,722
5612	35549301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5613	35550101	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
5614	35550701	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
5615	35550801	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
5616	35551601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5617	35551701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5618	35551901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5619	35553101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
5620	35556201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5621	35557401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5622	35646701	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
5623	35647801	226	11,106	226	11,132	226	11,103	226	11,174	226	11,176	226	11,162	226	11,153	226	11,133	226	11,143	226	11,145	226	11,159	226	11,182
5624	35652401	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
5625	35654601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5626	35656601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5627	35658901	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
5628	35659401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5629	35718701	167	10,939	167	10,952	167	10,942	167	10,852	167	10,898	167	10,899	167	10,815	167	10,839	167	10,837	167	10,921	167	10,857	167	10,891
5630	35718901	5116	10,88	5116	10,86	5116	10,889	5116	10,889	5116	10,948	5116	10,848	5116	10,847	5116	10,832	5116	10,894	5116	10,883	5116	11,03	5116	10,914
5631	35719001	194	11,111	194	11,137	194	11,11	194	11,104	194	11,103	194	11,1	194	11,108	194	11,111	194	11,109	194	11,114	194	11,103	194	11,078
5632	35809301	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5633	35811001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
5634	35811901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
5635	35812001	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
5636	35812101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
5637	35813201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5638	35815201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
5639	35816201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5640	35817801	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5641	35818201	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5642	35821701	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5643	35823501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5644	35825301	284	10,935	284	10,97	284	10,981	284	11,062	284	10,837	284	10,813	284	10,998	284	10,83	284	10,84	284	11,011	284	10,885	284	11,136
5645	35825801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
5646	35826001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5647	35831101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5648	35832301	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
5649	35833901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5650	35834901	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
5651	35835601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5652	35836601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5653	35837101	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
5654	35837401	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5655	35845801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5656	35848901	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
5657	35853701	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5658	35854801	31	10,863	31	10,926	31	10,941	31	10,945	31	10,913	31	10,97	31	11,039	31	11,014	31	10,976	31	11,011	31	11,028	31	10,982
5659	35855001	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5660	35857101	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
5661	35861001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5662	35863101	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
5663	35866401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5664	35875001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5665	35877301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5666	35881001	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5667	35884001	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
5668	35885301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5669	35888301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5670	35888501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
5671	35890601	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
5672	35896301	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
5673	35897001	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
5674	35897301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5675	35897401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
5676	35901801	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
5677	35904901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
5678	35906101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
5679	35911001	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
5680	35913601	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5681	35916201	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
5682	35918201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5683	35918202	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5684	35918204	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
5685	35920601	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
5686	35922601	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
5687	35924201	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5688	35929501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5689	35929801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5690	35929901	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5691	35931001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5692	35943401	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
5693	35957101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
5694	35958901	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5695	35963501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
5696	35964501	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5697	35965901	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
5698	35970401	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
5699	35971501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5700	35973301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
5701	35973701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5702	35975101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5703	35977001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
5704	35978201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
5705	35979801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
5706	35980001	5220	10,503	5220	10,505	5220	10,508	5220	10,504	5220	10,505	5220	10,505	5220	10,503	5220	10,502	5220	10,502	5220	10,502	5220	10,506	5220	10,501
5707	35980901	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
5708	35986601	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
5709	35986701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5710	35990001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5711	35990901	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5712	35992801	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
5713	35994101	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
5714	35994201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5715	35994301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5716	35996301	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5717	35996501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5718	35996901	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
5719	35997401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5720	35997801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5721	35998801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5722	36001101	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
5723	36001901	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
5724	36004801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5725	36005201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5726	36005401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5727	36005501	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5728	36005601	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5729	36006101	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
5730	36006401	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
5731	36007101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5732	36007201	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5733	36007701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5734	36008901	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5735	36011101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5736	36012701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5737	36014701	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
5738	36014901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5739	36021301	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
5740	36023401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
5741	36024801	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
5742	36026101	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5743	36030701	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5744	36031201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5745	36032501	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
5746	36033201	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5747	36033901	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5748	36036201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5749	36036501	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5750	36041501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5751	36044501	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
5752	36045601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5753	36047001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5754	36047101	195	10,517	195	10,469	195	10,516	195	10,608	195	10,73	195	10,788	195	10,889	195	10,878	195	10,799	195	10,772	195	10,551	195	10,464
5755	36047401	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
5756	36047501	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
5757	36047601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5758	36048401	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5759	36048501	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5760	36048901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5761	36049001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5762	36049101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5763	36049201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5764	36051601	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
5765	36060001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5766	36060301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5767	36061001	196	11,109	196	11,155	196	11,084	196	11,04	196	11,054	196	11,026	196	11,07	196	11,125	196	11,117	196	11,083	196	11,08	196	11,064
5768	36065201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5769	36066201	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
5770	36066301	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
5771	36066501	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	95	11,094	95	11,09	95	11,065	273	10,43	273	10,428
5772	36068701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5773	36069601	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
5774	36070201	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
5775	36070301	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5776	36070501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5777	36072101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5778	36073101	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
5779	36073801	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
5780	36073901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5781	36076301	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
5782	36081001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5783	36082501	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
5784	36087501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5785	36087701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5786	36089001	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
5787	36092001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5788	36093601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5789	36097101	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
5790	36097701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5791	36098101	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
5792	36101401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5793	36102901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5794	36113201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5795	36115501	144	10,919	144	10,908	144	10,935	144	10,871	144	11,005	144	11,025	144	10,981	144	10,992	144	10,943	144	10,969	144	11,012	144	10,911
5796	36116901	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
5797	36119101	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5798	36120501	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																										
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023		
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	
5799	36122001	151	11,097	151	11,111	151	11,094	151	11,085	151	11,073	151	11,083	151	11,096	151	11,095	151	11,103	151	11,117	151	11,125	151	11,126	
5800	36125401	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075	
5801	36127501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118	
5802	36127701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095	
5803	36127901	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095	
5804	36128501	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075	
5805	36128601	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107	
5806	36129501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005	
5807	36129601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026	
5808	36131401	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095	
5809	36132501	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036	
5810	36144201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113	
5811	36146301	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23	
5812	36147501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006	
5813	36147601	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892	
5814	36148101	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982	
5815	36153601	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892	
5816	36153701	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005	
5817	36155701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122	
5818	36156301		-		-		-		-		-		-		-		-		-		304	10,941	304	10,824	304	10,761
5819	36160601	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892	
5820	36162701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104	
5821	36163101	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036	
5822	36163501	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072	
5823	36163901	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118	
5824	36164801	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066	

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5825	36165201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5826	36165501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
5827	36169501	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
5828	36172101	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5829	36173001	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
5830	36174201	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
5831	36175501	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
5832	36175701	189	10,74	189	11,099	189	11,096	189	11,096	189	11,096	189	11,09	189	11,112	189	11,127	189	11,125	189	11,073	189	11,052	189	10,895
5833	36176801	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
5834	36177001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5835	36177301	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
5836	36177401	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
5837	36179601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5838	36182401	206	10,78	206	10,551	206	10,76	206	10,655	206	10,543	206	10,524	206	10,995	206	11,058	206	11,069	206	11,057	206	10,759	206	10,87
5839	36183301	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
5840	36185701	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
5841	36187901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5842	36188901	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5843	36189501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5844	36191201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
5845	36192401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5846	36193801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5847	36194701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5848	36197601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5849	36198101	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5850	36200301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5851	36205801	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
5852	36206101	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
5853	36207401	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5854	36213801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5855	36215401	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
5856	36215501	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
5857	36217801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5858	36222101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5859	50000101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5860	50000201	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5861	50001001	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
5862	50001401	35	10,932	35	10,698	35	11,323	35	11,154	176	10,964	176	10,954	176	11,073	35	11,388	35	11,263	35	11,155	35	11,409	35	11,168
5863	50001901	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
5864	50002001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
5865	50002101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5866	50002501	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
5867	50002601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5868	50002701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5869	50003101	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
5870	50003201	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
5871	50003301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5872	50003501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5873	50003601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5874	50003801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
5875	50003901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5876	50004001	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5877	50004201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
5878	50004301	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
5879	50004401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5880	50004501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5881	50004601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5882	50004701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5883	50005001	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	282	11,362	282	11,222	282	11,125	282	11,39	282	11,182
5884	50005101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5885	50005201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5886	50005301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
5887	50005401	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
5888	50005501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5889	50005601	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
5890	50005801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
5891	50005901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	27	11,001	27	11,003
5892	50006101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5893	50006301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5894	50006401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5895	50006501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5896	50006601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5897	50006701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5898	50006801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
5899	50006901	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
5900	50007001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5901	50007101	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
5902	50007201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5903	50007301	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
5904	50007401	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
5905	50007501	31	10,863	31	10,926	31	10,941	31	10,945	31	10,913	31	10,97	31	11,039	31	11,014	31	10,976	31	11,011	31	11,028	31	10,982
5906	50007601	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
5907	50007602	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
5908	50007701	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
5909	50007801	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
5910	50007901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
5911	50008101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5912	50008301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5913	50008501	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
5914	50008601	95	11,085	273	10,439	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	273	10,428
5915	50008901	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
5916	50009001	143	10,877	143	10,924	143	10,938	143	10,762	143	10,905	143	10,938	143	10,793	143	10,787	143	10,921	143	10,972	143	10,991	143	10,895
5917	50009301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5918	50009401	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5919	50009501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5920	50009601	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
5921	50009701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5922	50009801	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
5923	50009901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
5924	50010001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5925	50010101	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
5926	50010201	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
5927	50010301	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
5928	50010401	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5929	50010501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
5930	50010601	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
5931	50010701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
5932	50010801	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
5933	50010901	200	11,106	200	11,152	200	11,098	200	11,059	200	11,069	200	11,043	200	11,084	200	11,105	200	11,105	200	11,096	200	11,092	200	11,078
5934	50011001	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
5935	50011101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
5936	50011201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5937	50011501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5938	50011701	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
5939	50011801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5940	50011901	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
5941	50012001	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
5942	50012101	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5943	50012201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5944	50012301	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
5945	50012401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
5946	50012501	149	10,949	149	10,981	149	11,038	149	11,035	149	10,967	149	11,033	149	11,053	149	11,076	149	11,051	149	11,036	149	11,053	149	10,838
5947	50012701	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
5948	50012801	35	10,932	35	10,698	35	11,323	35	11,154	35	11,274	35	11,373	35	11,382	35	11,388	35	11,263	35	11,155	35	11,409	35	11,168
5949	50013401	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5950	50013601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
5951	50013701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
5952	50013801	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
5953	50013901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
5954	50014201	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5955	50014301	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
5956	50014501	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	213	11,037	6	10,925	6	10,967	6	11,008	6	11,027
5957	50014601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
5958	50014701	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
5959	50014901	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
5960	50015001	220	10,928	220	10,951	220	10,791	220	10,762	220	10,908	220	10,861	220	10,933	220	10,969	220	10,985	220	10,999	220	11,008	220	10,936
5961	50015101	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
5962	50015201	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	176	11,065	176	11,016	176	11,187
5963	50015501	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
5964	50015801	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
5965	50016101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
5966	50016201	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
5967	50016301	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
5968	50016401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
5969	50016501	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
5970	50016601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5971	50016701	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5972	50016801	192	10,945	192	10,969	192	11,068	192	11,004	192	10,974	192	11,049	192	10,994	192	10,998	192	10,994	192	11,02	192	11,055	192	10,989
5973	50017001	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
5974	50017101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
5975	50017301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
5976	50017501	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
5977	50017701	238	10,935	238	11,011	238	11,011	238	10,967	238	10,993	238	10,96	238	11,066	238	11,042	238	10,994	238	10,981	238	11,034	238	10,995
5978	50017801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5979	50017901	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
5980	50018001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
5981	50018201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
5982	50018301	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
5983	50018901	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
5984	50019501	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
5985	50019601	162	11,159	162	11,225	162	11,113	162	11,063	162	11,071	162	11,046	162	11,098	162	11,165	162	11,142	162	11,114	162	11,112	162	11,083
5986	50019801	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	76	10,98	250	11,072	243	10,563	243	10,468
5987	50020701	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
5988	50021101	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
5989	50021301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
5990	50021601	171	10,885	171	10,857	171	10,882	171	10,888	171	10,878	171	10,848	171	10,844	171	10,827	171	10,89	171	10,878	171	10,942	171	10,915
5991	50021801	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
5992	50021901	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
5993	50022001	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
5994	50022301	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
5995	50022801	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	243	10,479	243	10,784	243	10,563	243	10,468
5996	50022901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
5997	50023201	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
5998	50023301	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
5999	50023401	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
6000	50023701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6001	50023801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6002	50025301	158	11,128	158	11,183	158	11,12	158	11,113	158	11,119	158	11,115	158	11,12	158	11,117	158	11,122	158	11,122	158	11,121	158	11,118
6003	50025501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6004	50025601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6005	50025801	159	11,101	159	11,106	159	11,1	159	11,097	159	11,097	159	11,098	159	11,106	159	11,108	159	11,109	159	11,111	159	11,11	159	11,105
6006	50025901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6007	50026101	300	10,617	300	10,64	300	10,485	300	10,415	300	10,311	300	10,412	300	10,608	300	10,901	300	10,739	300	10,678	300	10,623	300	10,554
6008	50026201	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6009	50026301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6010	50026801	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
6011	50027401	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
6012	50027501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6013	50027601	198	10,958	198	11,059	198	10,978	198	11,02	198	11,033	198	10,952	198	10,941	198	10,975	198	10,968	198	10,973	198	10,98	198	10,972
6014	50027801	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
6015	50028001	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
6016	50028101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6017	50028301	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6018	50028501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6019	50028701	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
6020	50028801	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
6021	50028901	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
6022	50029201	211	10,902	211	11,016	211	11,009	211	11,048	211	11,018	211	11,069	211	11,134	211	10,995	211	10,98	211	11,02	211	11,025	211	10,994
6023	50029301	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
6024	50029501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6025	50029502	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6026	50029901	49	10,804	49	10,703	39	10,518	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	49	10,561
6027	50030001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6028	50030201	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
6029	50030301	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
6030	50030401	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
6031	50030501	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
6032	50030601	91	11,051	91	11,024	91	11,009	91	11,004	91	11,029	91	10,968	91	10,94	91	10,975	91	10,973	91	11,003	91	10,99	91	10,993

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6033	50030701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6034	50030901	175	11,049	175	11,125	175	11,069	175	11,041	175	11,032	175	10,999	175	11,07	175	11,046	175	10,973	175	11,033	175	11,012	175	11,244
6035	50031001	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
6036	50031101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6037	50031201	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6038	50031301	187	11,143	187	11,187	187	11,116	187	11,073	187	11,085	187	11,061	187	11,099	187	11,148	187	11,141	187	11,108	187	11,109	187	11,091
6039	50031401	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
6040	50031501	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6041	50031801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6042	50031901	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
6043	50032001	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
6044	50032201	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6045	50032401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6046	50032501	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
6047	50032601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6048	50032701	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6049	50032801	259	11,133	259	11,19	259	11,116	259	11,056	259	11,065	259	11,035	259	11,106	259	11,157	259	11,142	259	11,111	259	11,102	259	11,078
6050	50032901	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6051	50033001	253	10,935	253	10,95	253	10,965	253	10,824	253	10,877	253	10,978	253	10,935	253	10,987	253	10,987	253	11,011	253	10,983	253	11,013
6052	50033101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6053	50033401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6054	50033601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6055	50033701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6056	50033801	275	11,036	275	11,137	275	11,071	275	11,047	275	11,043	275	11,001	275	10,933	275	10,99	275	10,983	275	11,017	275	10,993	275	10,992
6057	50034301	174	11,002	174	11,167	174	11,093	174	11,038	174	10,852	174	10,848	174	10,999	174	11,111	174	11,039	174	10,986	174	10,957	174	10,683
6058	50034401	78	10,798	78	10,9	78	10,918	229	10,629	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6059	50034501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6060	50034601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6061	50034701	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6062	50034801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6063	50034901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6064	50035001	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6065	50035101	243	10,469	243	10,507	76	10,752	76	10,788	243	10,956	243	10,835	243	10,47	243	10,472	243	10,479	243	10,784	243	10,563	243	10,468
6066	50035301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6067	50035401	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
6068	50035501	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6069	50035601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6070	50035701	284	10,935	284	10,97	284	10,981	284	11,062	284	10,837	284	10,813	284	10,998	284	10,83	284	10,84	284	11,011	284	10,885	284	11,136
6071	50035801	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6072	50036201	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6073	50036301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6074	50036601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6075	50036801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6076	50037001	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
6077	50037201	222	10,654	222	10,812	222	10,776	222	10,657	222	10,526	222	10,563	222	10,537	222	10,692	222	10,771	222	10,697	222	10,65	222	10,666
6078	50037401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6079	50037601	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
6080	50037901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
6081	50038001	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6082	50038101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6083	50038201	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
6084	50039001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6085	50039101	202	11,058	202	11,055	202	11,074	202	11,055	202	11,057	202	11,067	202	11,082	202	11,069	202	11,079	202	11,079	202	11,075	202	11,08
6086	50039201	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6087	50039301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6088	50039701	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
6089	50039801	5143	10,899	5143	10,946	5143	10,882	5143	10,849	5143	10,929	5143	10,81	5143	10,815	5143	10,83	5143	10,8	5143	10,831	5143	10,813	5143	10,845
6090	50039901	5128	10,929 27394 70997	5128	10,951 68124 40402	5128	10,928 22437 82578	5128	10,930 65992 26711	5128	10,964 11899 01191	5128	10,869 55774 48723	5128	10,846 34508 89205	5128	10,861 56002 66591	5128	10,907 96863 71851	5128	10,902 52772 84348	5128	10,981 16273 04597	5128	10,995 15795 69585
6091	50040001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6092	50040101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6093	50040401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6094	50040501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6095	50040801	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
6096	50040901	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6097	50041001	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
6098	50041101	221	11,11	221	11,128	221	11,117	221	11,116	221	11,108	221	11,112	221	11,116	221	11,103	221	11,111	221	11,118	221	11,117	221	11,114
6099	50041301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6100	50041401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6101	50041501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6102	50042001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6103	50042101	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
6104	50042501	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
6105	50042701	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
6106	50043001	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
6107	50043201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6108	50043301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6109	50043401	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6110	50043501	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6111	50043601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6112	50043701	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6113	50043901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6114	50044301	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
6115	50044401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6116	50044601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6117	50044701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6118	50044801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6119	50044901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6120	50045001	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
6121	50045201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6122	50045401	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
6123	50045501	74	11,099	74	11,158	74	11,097	74	11,03	74	10,958	74	10,984	74	10,917	74	10,995	74	11,04	74	11,015	74	11,156	74	11,126
6124	50045601	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
6125	50046801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6126	50046901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6127	50047001	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6128	50047901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6129	50048001	214	11,121	214	11,13	214	11,116	214	11,11	214	11,107	214	11,107	214	11,109	214	11,091	214	11,082	214	11,103	214	11,118	214	11,103
6130	50048301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6131	50048401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6132	50048501	295	10,943	295	10,954	295	10,95	295	10,823	295	10,897	295	10,934	295	10,877	295	10,934	295	10,924	295	10,98	295	10,94	295	10,963
6133	50048601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6134	50048701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6135	50048801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6136	50048901	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6137	50049001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6138	50049101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6139	50049201	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
6140	50049301	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6141	50049501	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
6142	50049601	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6143	50049701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6144	50049801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6145	50049901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6146	50050001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6147	50050301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6148	50050401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6149	50050701	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
6150	50050901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6151	50051101	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
6152	50051201	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6153	50051401	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
6154	50051501	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6155	50051601	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
6156	50051801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6157	50051901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6158	50052001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6159	50052101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6160	50052201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6161	50052401	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6162	50052501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6163	50052601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6164	50052701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6165	50052801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6166	50053001	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6167	50053101	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6168	50053201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6169	50053301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6170	50053401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6171	50053501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6172	50053601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6173	50053701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6174	50053801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6175	50053901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6176	50054001	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6177	50054101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6178	50054201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6179	50054301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6180	50054401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6181	50054501	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6182	50054601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6183	50054701	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6184	50054801	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6185	50055001	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6186	50055101	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6187	50055201	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6188	50055301	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6189	50055401	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6190	50055501	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6191	50055601	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6192	50055701	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6193	50055901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6194	50056001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6195	50056101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6196	50056201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6197	50056301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6198	50056401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	180	10,786
6199	50056501		-		-		-		-		-		-		-		-		-		-		-	180	10,786
6200	50056601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6201	50056701	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6202	50056801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6203	50056901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6204	50057001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6205	50057101	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6206	50057201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6207	50057301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6208	50057401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6209	50057501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6210	50057601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6211	50057801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6212	50057901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6213	50058001	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6214	50058201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6215	50058301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6216	50058401	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
6217	50058501	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
6218	50058601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6219	50058701	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6220	50058901	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6221	50059001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6222	50059101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6223	50059401	78	10,798	78	10,9	78	10,918	229	10,629	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
6224	50059501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6225	50059601	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
6226	50059701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6227	50060101	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
6228	50060201	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
6229	50060501	209	11,076	209	10,947	209	11,031	209	10,993	209	11,049	209	11,022	209	11,065	209	11,113	209	11,11	209	11,082	209	11,063	209	11,063
6230	50060601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6231	50060701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6232	50060801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6233	50060901	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
6234	50061401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6235	50061501	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	170	10,976	170	11,093	170	11,066
6236	50061601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6237	50061801	165	10,892	165	10,904	165	10,916	165	10,82	165	10,93	165	10,959	165	10,82	165	10,821	165	10,949	165	11,004	165	11,025	165	10,957
6238	50061901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6239	50062001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6240	50062101	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6241	50062201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6242	50062301	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6243	50062401	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6244	50062501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6245	50062701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6246	50062801	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6247	50063101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6248	50063401	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
6249	50063501	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
6250	50063601	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
6251	50063701	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6252	50063801	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6253	50064001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6254	50064101	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
6255	50064401	265	11,084	265	11,165	265	11,109	265	11,089	265	11,078	265	11,031	265	10,966	265	11,001	265	11	265	11,049	265	11,024	265	11,014
6256	50064501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6257	50064701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6258	50064901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6259	50065001	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6260	50065101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6261	50065201	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
6262	50065401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6263	50065501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6264	50065701	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6265	50065801	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
6266	50066401	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6267	50066701	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6268	50067001	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
6269	50067601	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
6270	50067801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6271	50068401	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6272	50068501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6273	50068601	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
6274	50068801	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6275	50068901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6276	50069001	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
6277	50069601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6278	50069701	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
6279	50069801	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6280	50069901	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6281	50070001	302	11,099	302	11,14	302	11,074	302	11,033	302	11,047	302	11,009	302	11,06	302	11,116	302	11,102	302	11,074	302	11,072	302	11,059
6282	50070401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6283	50070501	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
6284	50070601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6285	50070701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6286	50070901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6287	50071001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6288	50071101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6289	50071301	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6290	50071401	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6291	50071501	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6292	50071701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6293	50071801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6294	50071901	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
6295	50072001	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6296	50072101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6297	50072201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6298	50072301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6299	50072401	79	10,855	79	10,888	79	10,902	79	10,899	79	10,93	79	10,92	79	10,969	79	11,001	79	10,981	79	10,99	79	10,99	79	10,938
6300	50072501	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6301	50072701	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6302	50072801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6303	50072901	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005
6304	50073001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
6305	50073101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6306	50073201	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
6307	50073501	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
6308	50073701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6309	50073801	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
6310	50073901	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6311	50074101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6312	50074201	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
6313	50074301	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
6314	50074501	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6315	50074601	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
6316	50074801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6317	50075001	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6318	50075201	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6319	50075701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6320	50075801	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6321	50075901	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
6322	50076001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6323	50076101	219	10,961	219	11,035	219	11,062	219	11,027	219	11,027	219	11,058	219	11,062	219	11,078	219	11,023	219	11,028	219	11,09	219	11,063
6324	50076201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6325	50076301	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6326	50076401	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	39	10,533	70	10,634
6327	50076501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6328	50076601	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6329	50076801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6330	50076901	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
6331	50077001	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
6332	50077201	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925
6333	50077401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6334	50077601	291	10,895	291	10,901	291	10,949	291	10,835	291	11,015	291	11,046	291	10,973	291	11,024	291	10,977	291	11,003	291	11,051	291	10,931
6335	50077901	47	11,081	47	11,122	47	11,087	47	11,084	47	11,079	47	11,078	47	11,093	47	11,086	47	11,094	47	11,089	47	11,094	47	11,093
6336	50078001	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
6337	50078101	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6338	50078201	242	10,916	242	11,001	242	10,957	242	10,978	242	11,017	242	10,927	242	10,849	242	10,963	242	10,976	242	11,006	242	10,988	242	11,001
6339	50078501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6340	50078601	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	27	11,001	27	11,003
6341	50078701	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6342	50078901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6343	50079001	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
6344	50079201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6345	50079301	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6346	50079401	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
6347	50079601	30	10,913	30	10,944	30	10,929	30	10,912	30	10,958	30	10,978	30	11,031	30	11,063	30	11,065	30	11,092	30	11,095	30	11,009
6348	50079701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6349	50080201	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6350	50080801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6351	50080901	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6352	50081001	189	10,74	189	11,099	189	11,096	189	11,096	189	11,096	189	11,09	189	11,112	189	11,127	189	11,125	189	11,073	189	11,052	189	10,895
6353	50081101	189	10,74	189	11,099	189	11,096	189	11,096	189	11,096	189	11,09	189	11,112	189	11,127	189	11,125	189	11,073	189	11,052	189	10,895
6354	50081201	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
6355	50081301	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6356	50081401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6357	50081501	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6358	50081601	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6359	50082001	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
6360	50082101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6361	50082201	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
6362	50082301	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6363	50082401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6364	50082501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6365	50082601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6366	50082801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6367	50082901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6368	50083201	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6369	50083301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6370	50083501	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6371	50083701	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
6372	50084001	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6373	50084101	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6374	50084501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6375	50084601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6376	50084701	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6377	50084801	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6378	50084901	275	11,036	275	11,137	275	11,071	275	11,047	275	11,043	275	11,001	275	10,933	275	10,99	275	10,983	275	11,017	275	10,993	275	10,992
6379	50085301	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
6380	50085501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6381	50085601	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
6382	50085701	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6383	50086401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6384	50086601	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6385	50087001	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6386	50087101	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6387	50087201	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6388	50087301	240	11,162	240	11,204	240	11,125	240	11,078	240	11,09	240	11,061	240	11,108	240	11,15	240	11,149	240	11,115	240	11,101	240	11,099
6389	50087401	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6390	50087501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6391	50087601	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
6392	50087901	268	10,966	268	10,949	268	10,966	268	10,913	268	10,987	268	10,986	268	10,981	268	11,023	268	11,017	268	11,024	268	11,046	268	10,993
6393	50088201	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6394	50088301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
6395	50088501	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
6396	50088701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6397	50088801	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
6398	50089001	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6399	50089101	78	10,798	78	10,9	78	10,918	78	10,978	78	11,012	78	10,988	78	10,986	78	11,017	78	11,027	78	11,026	78	10,937	78	10,915
6400	50089201	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
6401	50089301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6402	50089401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6403	50089501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6404	50089701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6405	50089801	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
6406	50089901	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
6407	50090001	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6408	50090101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6409	50090201	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
6410	50090301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6411	50090401	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
6412	50090501	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
6413	50090601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6414	50090901	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
6415	50091001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
6416	50091101	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
6417	50091201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6418	50091401	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6419	50091501	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6420	50091701	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
6421	50091901	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
6422	50092001	5222	10,43	5222	10,432	5222	10,431	5222	10,435	5222	10,435	5222	10,434	5222	10,435	5222	10,433	5222	10,433	5222	10,429	5222	10,429	5222	10,428

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6423	50092101	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
6424	50092201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6425	50092301	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
6426	50092401	46	11,093	40	10,421	40	10,431	40	10,431	46	11,105	46	11,101	46	11,111	40	10,932	40	10,969	40	11,042	46	11,115	46	11,118
6427	50092501	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	243	10,563	243	10,468
6428	50092601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6429	50092901	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769
6430	50093001	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
6431	50093101	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
6432	50093201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6433	50093301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6434	50093401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6435	50093601	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
6436	50093701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6437	50093801	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6438	50094101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6439	50094201	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6440	50094301	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6441	50094401	204	10,706	204	10,587	204	10,469	204	10,634	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
6442	50094501	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6443	50094601	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04
6444	50094701	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
6445	50094801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6446	50094901	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6447	50095001	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	119	10,974	119	11,003	119	10,99	119	11,006
6448	50095101	250	11,071	250	11,127	250	11,072	250	11,043	250	11,036	250	11,007	250	11,064	250	11,06	250	11,069	250	11,072	250	11,052	250	11,04

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6449	50095201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
6450	50095401	172	10,96	172	11,016	172	10,995	172	11,027	172	11,044	172	11,055	172	10,994	172	11,022	172	11,012	172	11,026	172	11,06	172	11,044
6451	50095501	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6452	50095601	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
6453	50095701	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6454	50095801	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6455	50095901	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6456	50096001	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
6457	50096101	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
6458	50096201	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6459	50096301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6460	50096401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6461	50096901	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
6462	50097001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6463	50097101	233	10,913	233	11,039	233	11,115	233	11,038	233	11,071	233	11,111	233	11,157	233	11,188	233	11,081	233	11,064	233	11,197	233	11,095
6464	50097201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6465	50097401	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6466	50097501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6467	50097601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6468	50097701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6469	50097801	112	11,113	112	11,116	112	11,108	112	11,109	112	11,102	112	11,098	112	11,104	112	11,101	112	11,104	112	11,106	112	11,108	112	11,108
6470	50097901	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
6471	50098001	205	11,118	205	11,171	205	11,099	205	11,056	205	11,063	205	11,04	205	11,097	205	11,153	205	11,146	205	11,113	205	11,095	205	11,086
6472	50098201	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
6473	50099201	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6474	50099301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6475	50099401	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6476	50099501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6477	50099601	79	10,855	79	10,888	79	10,902	245	10,933	245	10,958	245	10,942	245	10,965	245	11,042	245	11,028	245	11,038	245	11,034	245	10,974
6478	50099701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6479	50100001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6480	50100201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6481	50100301	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
6482	50100401	229	10,78	229	10,726	229	10,871	229	10,629	229	10,678	229	10,752	212	11,089	212	11,082	212	11,024	212	11,041	212	10,949	212	11,015
6483	50100601	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6484	50100801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6485	50100901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6486	50101001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6487	50101101	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6488	50101201	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
6489	50101401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6490	50101701	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6491	50101801	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
6492	50102001	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
6493	50102101	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
6494	50103101	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
6495	50103401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6496	50103601	113	11,095	113	11,093	113	11,077	113	11,028	113	10,975	113	10,92	113	11,047	113	11,157	113	11,137	113	11,106	113	11,094	113	10,95
6497	50103701	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
6498	50103801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6499	50104001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6500	50104101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6501	50104201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6502	50104401	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6503	50104601	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6504	50104701	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
6505	50104801	68	10,914	68	11,037	68	11,042	68	11,018	68	11,05	68	11	68	11,086	68	11,041	68	11,035	68	11,015	68	11,071	68	11,049
6506	50104901	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828
6507	50105101	7	10,946	7	11,073	7	11,139	7	11,055	7	11,063	7	11,083	7	11,099	7	11,113	7	11,084	7	11,054	7	11,122	7	11,076
6508	50105201	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6509	50105301	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6510	50105501	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
6511	50105601	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6512	50105801	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
6513	50106001	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6514	50106101	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6515	50106201	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
6516	50106301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6517	50106401	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
6518	50106501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6519	50106701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6520	50106801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6521	50107201	13	11,015	13	11,078	13	11,025	13	11,037	13	11,045	13	10,999	13	10,985	13	11,016	13	11,006	13	11,014	13	11,038	13	11,036
6522	50107301	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6523	50107401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6524	50107501	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6525	50107601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6526	50107701	237	10,636	237	10,63	237	10,428	237	10,538	237	10,743	237	10,708	237	10,735	237	10,819	237	10,851	237	10,858	237	10,833	237	10,769

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6527	50108001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6528	50108101	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6529	50108601	94	10,999	94	11,064	94	11,007	94	11,035	94	11,038	94	10,991	94	10,969	94	11,005	94	11,001	94	11,001	94	11,022	94	11,026
6530	50108701	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
6531	50108901	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
6532	50109101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6533	50109201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6534	50109401	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
6535	50109501	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
6536	50109601	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6537	50109701	282	10,881	282	11,059	282	11,301	282	11,158	282	11,216	282	11,327	282	11,36	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
6538	50109801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6539	50110001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6540	50110101	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	230	11,385	230	11,378	230	11,256	290	11,029	290	10,996	290	10,986
6541	50110401	292	10,943	292	11,075	292	10,963	292	11,008	292	11,031	292	10,96	292	10,905	292	10,984	292	11,019	292	11,029	292	11,007	292	10,999
6542	50110501	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6543	50110701	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
6544	50110801	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
6545	50110901	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
6546	50111001	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6547	50111301	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
6548	50111401	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
6549	50111501	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6550	50111601	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
6551	50111701	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6552	50111801	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6553	50111901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6554	50112001	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6555	50112301	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
6556	50112401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6557	50112501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6558	50112601	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6559	50112701	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	285	11,131	285	11,131	285	11,099	285	11,096	285	11,081
6560	50112801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6561	50112901	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
6562	50113001	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6563	50113101	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6564	50113201	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6565	50113301	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988
6566	50113601	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6567	50113701	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6568	50113801	254	11,019	254	11,03	254	11,036	254	11,035	254	11,018	254	11,048	254	11,133	254	11,121	254	11,08	254	11,094	254	11,076	254	11,022
6569	50113901	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
6570	50114101	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6571	50114201	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6572	50114401	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
6573	50114601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6574	50114701	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6575	50114801	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6576	50114901	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6577	50115101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6578	50115301	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6579	50115701	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
6580	50115801	101	10,926	101	10,94	101	10,952	2	10,804	2	10,928	2	10,94	2	10,831	2	10,922	2	10,967	2	10,998	2	11,001	2	10,897
6581	50115901	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6582	50116101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6583	50116201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6584	50116301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6585	50116401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6586	50116501	1	10,929	1	10,955	1	10,959	1	10,815	1	10,894	1	10,978	1	10,936	1	10,997	1	10,999	1	11,022	1	10,994	1	10,963
6587	50116601	123	11,127	123	11,172	123	11,105	123	11,061	123	11,065	123	11,044	123	11,086	123	11,123	123	11,12	123	11,099	123	11,093	123	11,075
6588	50116901	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6589	50117001	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6590	50117201	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6591	50117301	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6592	50117401	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6593	50117601	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
6594	50117801	223	11,028	223	10,915	223	10,986	223	10,951	223	11,004	223	10,98	223	11,026	223	11,075	223	11,067	223	11,044	223	11,019	223	11,002
6595	50118001	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6596	50118101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6597	50118201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6598	50118501	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6599	50118801	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6600	50118901	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6601	50119001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6602	50119401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6603	50119701	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
6604	50119801	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6605	50120401	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6606	50120501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6607	50120601	260	10,647	260	10,509	260	10,575	260	10,559	260	10,543	260	10,524	260	10,965	260	11,098	260	11,082	260	11,058	260	10,623	260	10,453
6608	50120801	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6609	50121101	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6610	50121201	93	10,914	93	11,114	9	11,038	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
6611	50121301	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
6612	50121401	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6613	50121501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6614	50121601	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6615	50121701	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6616	50121801	132	10,893	132	10,928	132	10,943	132	11,014	132	10,799	132	10,795	132	10,961	132	10,803	132	10,812	132	10,974	132	10,858	132	11,095
6617	50121901	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
6618	50122001	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6619	50122101	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6620	50122201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
6621	50122301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6622	50122401	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6623	50122501	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6624	50122701	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6625	50122901	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
6626	50123201	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
6627	50123401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6628	50123501	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6629	50123701	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6630	50123801	181	11,086	181	11,164	181	11,082	181	11,032	181	10,966	181	10,872	181	11,049	181	11,154	181	11,136	181	11,108	181	11,097	181	11,005

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6631	50123901	5247	10,464	5247	10,461	5247	10,461	5247	10,461	5247	10,464	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,462	5247	10,463
6632	50124001	155	11,01	155	10,991	155	10,968	155	11,048	155	10,973	155	10,915	155	11,03	148	11,002	148	10,828	148	10,97	148	10,952	155	11,23
6633	50124101	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6634	50124201	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
6635	50124401	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6636	50124501	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6637	50124601	25	10,974	25	11,087	25	11,002	25	11,024	25	11,055	25	10,971	25	10,909	25	10,983	25	11,028	25	11,037	25	11,017	25	11,002
6638	50124801	39	10,597	39	10,49	39	10,518	39	10,534	39	10,423	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	39	10,533	39	10,459
6639	50125001	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6640	50125101	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6641	50125201	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
6642	50125701	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6643	50125801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6644	50125901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6645	50126101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6646	50126301	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6647	50126401	23	10,966	23	11,083	23	10,99	23	11,036	23	11,052	23	11,005	23	10,978	23	11,012	23	11,006	23	11,011	23	11,023	23	11,003
6648	50126601	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6649	50126801	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6650	50126901	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
6651	50127001	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6652	50127201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6653	50127301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6654	50127601	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6655	50127701	237	10,636	182	10,981	182	10,931	182	10,956	237	10,743	237	10,708	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
6656	50127801	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6657	50128101	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	168	10,949	168	10,965
6658	50128201	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	304	10,772	148	10,828	148	10,97	148	10,952	148	11,203
6659	50128301	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6660	50128401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6661	50128501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6662	50128701	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6663	50128801	46	11,093	46	11,123	46	11,098	46	11,115	46	11,105	46	11,101	46	11,111	46	11,107	46	11,122	46	11,114	46	11,115	46	11,118
6664	50129001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6665	50129101	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6666	50129201	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6667	50129301	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6668	50129401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6669	50129501	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6670	50129601	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6671	50129701	95	11,085	95	11,137	95	11,062	95	11,015	95	11,031	95	11,005	95	11,044	95	11,094	95	11,09	95	11,065	95	11,048	95	11,036
6672	50129801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6673	50130001	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6674	50130101	41	10,822	41	10,693	41	10,894	41	10,854	41	10,955	41	10,983	41	11,05	41	11,099	41	11,098	41	11,068	41	10,87	41	10,722
6675	50130201	12	10,983	12	11,069	12	11,088	12	11,037	12	11,062	12	11,063	12	11,076	12	11,131	12	11,042	12	11,032	12	11,065	12	11,07
6676	50130501	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6677	50130601	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
6678	50130701	176	11,035	176	11,048	176	11,043	176	11,023	176	10,964	176	10,954	176	11,073	176	11,069	176	10,997	148	10,97	148	10,952	155	11,23
6679	50130801	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6680	50130901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6681	50131001	280	11,108	83	10,484	83	10,693	280	11,063	280	11,034	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	280	11,07	83	10,627
6682	50131101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6683	50131201	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	93	11,354	93	11,379	93	11,367	93	11,191	93	11,028	93	11,038	93	11,047
6684	50131301	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
6685	50131401	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6686	50131501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6687	50131601	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6688	50131801	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6689	50132001	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
6690	50132101	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6691	50132201	244	10,886	244	10,98	244	10,972	244	10,996	244	10,953	244	11,024	244	11,103	244	11,103	244	11,086	244	11,102	244	10,978	244	10,915
6692	50132301	299	10,773	299	10,836	299	10,874	299	10,846	299	10,895	299	10,643	299	11,005	299	11,23	299	11,23	299	10,96	299	10,838	299	10,95
6693	50132401	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6694	50132501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6695	50133501	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6696	50133601	280	11,108	83	10,484	83	10,693	280	11,063	280	11,034	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	280	11,07	83	10,627
6697	50133701	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6698	50133901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6699	50134001	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6700	50134101	251	11,052	251	11,123	251	11,055	251	11,044	251	11,01	251	11,003	251	11,053	251	11,01	251	10,839	251	10,976	251	10,96	251	11,206
6701	50134201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6702	50134301	168	10,939	168	10,961	168	10,931	168	10,94	168	10,962	168	10,893	168	10,848	168	10,863	168	10,914	168	10,94	168	10,949	168	10,965
6703	50134401	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6704	50134701	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
6705	50134801	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6706	50135101	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6707	50135201	31	10,863	31	10,926	31	10,941	31	10,945	31	10,913	31	10,97	31	11,039	31	11,014	31	10,976	31	11,011	31	11,028	31	10,982
6708	50135501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6709	50135601	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6710	50135701	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6711	50135801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6712	50136001	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6713	50136301	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005
6714	50136401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6715	50136501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6716	50137001	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
6717	50137201	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6718	50137301	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6719	50137501	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
6720	50137601	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6721	50137801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6722	50138001	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942
6723	50138101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6724	50138201	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
6725	50138401	140	10,967	140	10,806	140	11,082	140	11,004	140	11,069	140	11,065	140	11,062	140	11,091	140	11,093	140	11,08	140	11,081	140	11,09
6726	50138501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6727	50138601	70	10,528	70	10,418	70	10,422	70	10,434	39	10,423	39	10,429	70	10,878	70	10,94	39	10,425	70	11,053	39	10,533	70	10,634
6728	50138701	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6729	50138801	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
6730	50139001	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
6731	50139101	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6732	50139401	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
6733	50139501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
6734	50139601	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6735	50139701	218	11,079	218	11,082	218	11,076	218	11,084	218	11,078	218	11,073	218	11,088	218	11,086	218	11,043	218	11,003	218	11,026	218	11,026
6736	50139901	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	49	10,637	49	10,732	49	10,861	49	10,876	49	10,849	49	10,893	49	10,561
6737	50140001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6738	50140101	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
6739	50140201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6740	50140301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6741	50140401	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6742	50140601	83	10,789	83	10,484	83	10,693	83	10,628	83	10,589	83	10,927	83	11,047	83	11,125	83	11,153	83	11,099	83	10,744	83	10,627
6743	50140701	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6744	50141801	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6745	50142101	208	10,818	208	10,868	208	10,89	208	10,907	208	10,873	208	10,922	208	11	208	10,987	208	10,957	208	10,985	208	11,009	208	10,934
6746	50142201	271	11,147	271	11,177	271	11,103	271	11,05	271	11,063	271	11,04	271	11,071	271	11,119	271	11,123	271	11,114	271	11,107	271	11,083
6747	50142301	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6748	50142401	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6749	50142701	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6750	50143001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6751	50143101	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6752	50143201	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
6753	50143501	179	11,075	179	11,177	179	11,104	179	11,056	179	10,921	179	11,048	179	11,087	179	11,125	179	11,137	179	11,108	179	11,073	179	10,911
6754	50143601	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123
6755	50143701	170	11,129	170	11,162	170	11,103	170	11,065	170	10,986	170	11,018	170	10,938	170	11,004	170	10,988	170	10,976	170	11,093	170	11,066
6756	50143901	182	10,906	182	10,981	182	10,931	182	10,956	182	10,983	182	10,942	182	10,91	182	10,981	182	10,988	182	10,994	182	10,993	182	10,982
6757	50144101	135	11,144	135	11,195	135	11,116	135	11,068	135	11,08	135	11,053	135	11,097	135	11,142	135	11,134	135	11,097	135	11,07	135	11,071
6758	50144301	49	10,804	49	10,703	49	10,887	49	10,572	49	10,555	39	10,429	39	10,421	39	10,423	39	10,425	39	10,423	49	10,893	49	10,561
6759	50144501	5222	10,43	5222	10,432	5222	10,431	5222	10,435	5222	10,435	5222	10,434	5222	10,435	5222	10,433	5222	10,433	5222	10,429	5222	10,429	5222	10,428
6760	50144601	204	10,706	114	10,932	114	10,95	114	10,95	204	10,496	204	10,524	204	10,948	204	11,068	204	11,041	204	11,056	204	11,058	204	10,988

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6761	50144701	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
6762	50145001	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6763	50145101	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
6764	50145201	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6765	50145401	234	10,919	234	11,053	234	11,049	234	11,023	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6766	50145501	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6767	50145601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6768	50145701	3	10,916	3	10,923	3	10,938	3	10,801	3	10,88	3	10,929	3	10,891	3	10,95	3	10,953	3	10,993	3	11,007	3	10,902
6769	50145801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6770	50145901	279	11,084	279	11,149	279	11,09	279	11,065	279	11,05	279	11,021	279	11,08	279	11,063	279	11,006	279	11,037	279	10,984	279	11,2
6771	50146001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6772	50147301	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6773	50147401	231	10,954	231	10,947	231	10,929	231	10,845	231	10,888	231	10,887	231	10,804	231	10,826	231	10,822	231	10,918	231	10,887	231	10,903
6774	50147601	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6775	50148101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6776	50148201	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6777	50148401	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6778	50148601	225	11,113	225	11,116	225	11,115	225	11,114	225	11,107	225	11,104	225	11,109	225	11,111	225	11,114	225	11,112	225	11,114	225	11,113
6779	50148701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6780	50148801	234	10,919	234	11,053	76	10,752	76	10,788	234	11,047	234	10,994	234	11,075	234	11,026	234	11,002	234	11,003	234	11,058	234	11,048
6781	50149001	227	10,948	227	10,948	227	10,893	227	10,961	227	10,971	227	11,006	227	11,041	227	11,058	227	11,035	227	11,02	227	11,052	227	11,043
6782	50149101	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6783	50149501	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6784	50149801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6785	50149901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6786	50150201	22	10,899	22	10,948	22	10,886	22	10,834	22	10,857	22	10,808	22	10,794	22	10,83	22	10,797	22	10,817	22	10,807	22	10,828

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6787	50150301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6788	50150401	148	11,029	148	11,083	148	11,032	148	11,008	148	10,986	148	10,981	148	11,042	148	11,002	148	10,828	148	10,97	148	10,952	148	11,203
6789	50150501	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6790	50150601	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6791	50150901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6792	50151101	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6793	50151301	180	11,009	180	11,127	180	11,073	180	11,031	180	10,769	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	180	10,786
6794	50151501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6795	50151601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6796	50151901	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6797	50152001	213	10,964	213	10,998	213	11,022	213	10,95	213	11,027	213	11,063	213	11,047	213	11,037	213	11,015	213	11,033	213	11,081	213	11,064
6798	50152201	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6799	50152301	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
6800	50152401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6801	50152701	17	10,956	17	10,953	17	10,953	17	10,852	17	10,913	17	10,952	17	10,947	17	10,978	17	10,984	17	11,008	17	11,023	17	10,942
6802	50153101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6803	50153401	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6804	50153701	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6805	50153801	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6806	50154001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
6807	50154101	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6808	50154201	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6809	50154301	51	11,136	51	11,174	51	11,1	51	11,06	51	11,066	51	11,046	51	11,089	51	11,14	51	11,132	51	11,101	51	11,086	51	11,072
6810	50154701	217	10,964	217	10,954	217	10,923	217	10,864	217	10,898	217	10,925	217	10,898	217	11,018	217	10,975	217	10,961	217	10,957	217	10,937
6811	50155101	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6812	50155401	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6813	50155601	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6814	50155901	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6815	50156101	301	10,266	301	10,242	301	10,255	301	10,337	301	10,31	301	10,277	301	10,228	301	10,227	301	10,228	301	10,211	301	10,213	301	10,193
6816	50156201	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6817	50156801	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6818	50156901	257	11,1	257	11,122	257	11,005	257	11,011	257	10,971	257	10,986	257	11,04	257	10,989	257	10,849	257	10,995	257	10,935	257	11,188
6819	50157001	44	11,124	44	11,171	44	11,097	44	11,055	44	11,065	44	11,044	44	11,085	44	11,138	44	11,131	44	11,1	44	11,088	44	11,075
6820	50157201		-		-		-		-		-		-		-		-		-		-		-	41	10,722
6821	50157401	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6822	50157501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6823	50157601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6824	50157701	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6825	50157801	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6826	50158101	92	10,906	92	11,073	92	10,951	92	11,014	92	11,022	92	10,942	92	10,903	92	10,95	92	11,003	92	11,013	92	11,002	92	10,995
6827	50158301	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6828	50158501	70	10,528	70	10,418	70	10,422	70	10,434	70	10,638	70	10,744	70	10,878	70	10,94	70	10,967	70	11,053	70	10,82	70	10,634
6829	50158601	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6830	50158701	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6831	50158901	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6832	50159301	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6833	50160201	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6834	50160301	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6835	50160501	264	10,868	264	10,913	264	10,934	264	10,807	264	10,995	264	11,01	264	10,913	264	10,882	264	10,967	264	11,009	264	11,025	264	10,925
6836	50160801	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6837	50160901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
6838	50161501	236	10,944	236	10,938	236	10,945	236	10,866	236	10,91	236	10,935	236	10,906	236	10,949	236	10,999	236	11,01	236	10,996	236	10,947

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6839	50162101	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6840	50162601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6841	50162901	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6842	50163401	183	10,908	183	11,026	183	11,112	183	11,025	183	11,067	183	11,1	183	11,131	183	11,159	183	11,083	183	11,081	183	11,198	183	11,109
6843	50163501	279	11,084	279	11,149	279	11,09	279	11,065	279	11,05	279	11,021	279	11,08	279	11,063	279	11,006	279	11,037	279	10,984	36	11,221
6844	50163601	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6845	50163701	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6846	50164001	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6847	50164101	61	11,097	61	11,111	61	11,094	61	11,085	61	11,073	61	11,083	61	11,096	61	11,095	61	11,103	61	11,117	61	11,125	61	11,126
6848	50164201	307	11,123	307	11,185	307	11,099	307	11,043	307	11,057	307	11,038	307	11,083	307	11,145	73	11,131	73	11,099	73	11,091	73	11,056
6849	50164401	18	10,928	18	10,932	18	10,939	18	10,847	18	10,9	18	10,927	18	10,821	18	10,82	18	10,855	18	10,921	18	10,931	18	10,905
6850	50164501	190	10,971	190	11,047	190	10,988	190	10,99	190	10,995	190	10,951	190	10,957	190	10,995	190	10,964	190	10,969	190	11,016	190	11,063
6851	50164601	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
6852	50164701	98	11,133	98	11,125	98	11,098	98	11,09	98	11,079	98	11,077	98	11,091	98	11,088	98	11,093	98	11,094	98	11,097	98	11,095
6853	50164801	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6854	50165101	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6855	50165601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6856	50166001	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	22	10,817	22	10,807	22	10,828
6857	50166401	38	10,945	38	10,854	38	11,037	38	10,966	38	11,049	38	11,028	38	11,081	38	11,086	38	11,036	38	11,049	38	10,98	38	11,042
6858	50166601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6859	50167201	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6860	50167301	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6861	50167401	80	11,148	80	11,17	80	11,117	80	11,076	80	11,097	80	11,073	80	11,118	80	11,166	80	11,162	80	11,135	80	11,105	80	11,078
6862	50167501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6863	50167601	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6864	50167701	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19	169	11,182	169	11,18	169	11,138	169	11,123

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6865	50168501	248	10,998	248	11,027	248	11,046	248	11,03	248	11,024	248	11,023	248	10,977	248	11,009	248	11	248	11,011	248	11,054	248	11,039
6866	50168601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6867	50168701	126	11,103	126	11,122	126	11,108	126	11,105	126	11,1	126	11,096	126	11,102	126	11,098	126	11,102	126	11,104	126	11,106	126	11,106
6868	50168901	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6869	50169001	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
6870	50169301	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6871	50169501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6872	50170101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6873	50170601	5265	10,467	5265	10,464	5265	10,461	5265	10,46	5265	10,461	5265	10,46	5265	10,456	5265	10,456	5265	10,464	5265	10,463	5265	10,463	5265	10,458
6874	50170801	235	10,942	235	10,944	235	10,942	235	10,858	235	10,937	235	10,963	235	10,904	235	10,914	235	10,93	235	10,962	235	10,997	235	10,916
6875	50171101	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
6876	50171501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6877	50171601	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6878	50171701	273	10,436	273	10,439	273	10,436	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	95	11,094	95	11,09	95	11,065	273	10,43
6879	50171901	5142	10,867	5142	10,917	5142	10,915	5142	10,937	5142	10,912	5142	10,933	5142	10,905	5142	10,952	5142	10,932	31	11,011	31	11,028	31	10,982
6880	50172001	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6881	50172101	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6882	50172201	5205	11,117	5205	11,132	5205	11,122	5205	11,135	5205	11,19	5205	11,11	5205	11,124	5205	11,124	5205	11,128	5205	11,123	5205	11,234	5205	11,112
6883	50172301	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
6884	50172401	273	10,436	273	10,439	273	10,436	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43
6885	50172701	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992	278	11,039	278	11,012
6886	50172801	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6887	50172901	15	10,902	15	10,926	15	10,932	15	10,96	15	10,981	15	10,992	15	10,939	15	10,955	15	10,941	15	10,959	15	11,005	15	10,937
6888	50173301	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6889	50173401	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6890	50173501	88	10,931	88	10,945	88	10,925	88	10,906	88	10,953	88	10,88	88	10,871	88	10,854	88	10,916	88	10,923	88	11,007	88	11,005

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6891	50173601	111	11,09	111	11,116	111	11,044	111	10,985	111	10,997	111	10,977	111	11,022	111	11,098	111	11,081	111	11,053	111	11,044	111	11,025
6892	50173701	120	11,152	120	11,178	120	11,101	120	11,036	120	11,042	120	11,025	120	11,072	120	11,073	120	11,072	120	11,076	120	11,074	120	11,066
6893	50173901	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6894	50174201	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6895	50174301	230	10,92	230	11,119	230	11,331	230	11,223	230	11,246	230	11,361	230	11,385	230	11,378	230	11,256	230	11,062	230	11,091	230	11,055
6896	50174601	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6897	50174901	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6898	50175101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6899	50175201	43	11,167	43	11,205	43	11,13	43	11,089	43	11,102	43	11,079	43	11,124	43	11,179	43	11,175	43	11,143	43	11,131	43	11,107
6900	50175301	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6901	50175601	305	11,085	305	11,165	305	11,104	305	11,084	305	11,072	305	11,033	305	11,095	305	11,072	305	11,067	305	11,098	305	11,079	123	11,075
6902	50175801	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6903	50176401	110	10,877	110	11,008	110	10,953	110	10,989	110	10,993	110	11,025	110	11,053	110	11,057	110	11,03	110	11,024	110	11,046	110	11,037
6904	50176701	141	10,897	141	10,92	141	10,902	141	10,798	141	10,843	141	10,852	141	10,79	141	10,853	141	10,826	141	10,878	141	10,846	141	10,893
6905	50176901	101	10,926	101	10,94	101	10,952	101	10,84	101	10,944	101	10,969	101	10,833	101	10,905	101	10,977	101	11,025	101	11,033	101	10,926
6906	50177101	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6907	50179101	6	10,877	6	10,975	6	10,99	6	10,937	6	11,006	6	11,009	6	10,934	6	10,808	6	10,925	6	10,967	6	11,008	6	11,027
6908	50179501	216	10,942	216	10,936	216	10,951	216	10,836	216	10,906	216	10,996	216	11,034	216	11,053	216	11,022	216	11,044	216	11,063	216	10,954
6909	50179601	277	11,066	277	11,152	277	11,09	277	11,064	277	11,054	277	11,012	277	10,957	277	10,987	277	10,988	277	11,033	277	11,006	277	11
6910	50179701	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6911	50179901	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
6912	50180101	138	10,944	138	10,904	138	10,948	138	10,82	138	10,897	138	10,963	138	10,931	138	10,988	138	10,991	138	11,01	138	10,973	138	10,96
6913	50180401	40	10,553	40	10,421	40	10,431	40	10,431	40	10,56	40	10,645	40	10,829	40	10,932	40	10,969	40	11,042	40	10,879	40	10,797
6914	50180601	55	11,088	55	11,106	55	11,094	55	11,091	55	11,088	55	11,085	55	11,094	55	11,094	55	11,096	55	11,098	55	11,104	55	11,104
6915	50180701	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6916	50180801	154	10,945	154	10,966	154	11,046	154	11,022	154	11,009	154	10,993	154	10,996	154	11,015	154	10,99	154	10,969	154	11,061	154	10,925

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6917	50180901	246	10,903	246	10,931	246	10,905	246	10,92	246	10,959	246	10,939	246	10,993	246	11,022	246	11,038	246	11,05	246	11,053	246	10,985
6918	50181101	266	10,927	266	11,039	266	10,994	266	10,985	266	10,973	266	11,018	266	11,049	266	11,073	266	11,054	266	11,019	266	11,062	266	11,036
6919	50181201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6920	50181401	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6921	50181901	252	11,137	252	11,188	252	11,099	252	11,082	252	11,079	252	11,05	252	11,098	252	11,148	252	11,14	252	11,108	252	11,097	252	11,088
6922	50182001	303	11,117	303	11,169	303	11,108	303	11,073	303	11,077	303	11,047	303	11,077	303	11,149	303	11,139	303	11,095	303	11,077	303	11,063
6923	50182101	124	10,917	124	10,907	124	10,91	124	10,854	124	10,889	124	10,987	124	10,935	124	11,019	124	10,977	124	10,988	124	11,001	124	10,986
6924	50182301	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6925	50182701	180	11,009	180	11,127	180	11,073	180	11,031	72	11,062	180	10,955	180	10,986	180	11,071	180	11,088	180	11,048	180	11,032	72	11,069
6926	50182801	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6927	50183001	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6928	50183201	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6929	50183301	36	11,07	36	11,15	36	11,085	36	11,06	36	11,054	36	11,018	36	11,077	36	11,044	36	10,875	36	11,036	36	10,985	36	11,221
6930	50183401	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6931	50183501	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6932	50184001	246	10,903	246	10,931	27	10,919	27	10,938	27	10,995	27	10,951	27	10,879	27	11,002	27	10,987	27	11,011	27	11,001	27	11,003
6933	50184201	34	10,82	34	10,895	34	10,902	34	10,898	34	10,855	34	10,939	34	10,994	34	11,014	34	11,046	34	11,061	34	10,932	34	10,86
6934	50184301	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	230	11,256	290	11,029	290	10,996	290	10,986
6935	50184401	290	10,968	290	11,095	230	11,331	290	11,032	290	11,044	230	11,361	290	10,854	290	10,978	230	11,256	290	11,029	290	10,996	290	10,986
6936	50184901	77	10,857	77	10,923	77	10,921	77	10,935	77	10,908	77	10,951	77	10,988	77	11,054	77	11,029	77	11,01	77	10,916	77	10,892
6937	50185001	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6938	50185401	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6939	50186001	273	10,436	273	10,439	273	10,436	273	10,436	273	10,437	273	10,437	273	10,479	273	10,493	273	10,429	273	10,429	273	10,43	273	10,428
6940	50186201	9	10,934	9	11,055	9	11,038	9	10,991	9	11,031	9	11,044	9	11,093	9	11,14	9	11,077	9	11,063	9	11,07	9	11,034
6941	50186501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6942	50186701	306	10,955	306	10,998	306	10,941	306	10,942	306	10,978	306	10,921	306	10,858	306	10,93	29	10,957	29	10,986	29	10,996	29	10,942

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6943	50186801	58	11,115	58	11,143	58	11,131	58	11,127	58	11,124	58	11,116	58	11,118	58	11,122	58	11,125	58	11,124	58	11,124	58	11,122
6944	50186901	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
6945	50187001	57	11,092	57	11,033	57	11,072	57	11,07	57	11,074	57	11,076	57	11,092	57	11,096	57	11,101	57	11,103	57	11,09	57	11,081
6946	50187201	127	11,117	127	11,166	127	11,109	127	11,046	127	11,058	127	11,041	127	11,084	127	11,143	127	11,133	127	11,102	127	11,091	127	11,065
6947	50187501	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6948	50188101	269	10,965	269	11,082	269	10,972	269	10,913	269	11,002	269	10,993	269	10,963	269	11,019	269	11,013	269	11,018	269	11,027	269	11,023
6949	50189201	50	11,101	50	11,106	50	11,1	50	11,097	50	11,097	50	11,098	50	11,106	50	11,108	50	11,109	50	11,111	50	11,11	50	11,105
6950	50189401	232	10,979	232	10,951	232	10,972	232	10,916	232	10,979	232	10,991	232	10,985	232	11,024	232	11,017	232	11,025	232	11,038	232	11,004
6951	50189701	304	10,889	304	10,928	304	10,942	304	11,025	304	10,792	304	10,775	304	10,951	304	10,772	304	10,83	304	10,941	304	10,824	304	10,761
6952	50190801	53	11,139	53	11,185	53	11,111	53	11,069	53	11,068	53	11,035	53	11,076	53	11,133	53	11,119	53	11,089	53	11,086	53	11,073
6953	50192001	21	10,921	21	10,947	21	10,931	21	10,826	21	10,867	21	10,872	21	10,787	21	10,82	21	10,816	21	10,904	21	10,837	21	10,868
6954	50192401	71	10,946	71	10,932	71	10,945	71	10,862	71	10,912	71	10,94	71	10,911	71	10,954	71	10,995	71	11,002	71	10,989	71	10,938
6955	50192801	37	10,917	37	10,978	37	10,979	37	11,051	37	10,812	37	10,8	37	10,984	37	10,789	37	10,866	37	10,874	37	10,828	37	10,851
6956	50193001	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6957	50193201	290	10,968	290	11,095	290	10,988	290	11,032	290	11,044	290	10,963	290	10,854	290	10,978	290	10,998	290	11,029	290	10,996	290	10,986
6958	50193401	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6959	50193601	93	10,914	93	11,114	93	11,33	93	11,214	93	11,247	12	11,063	12	11,076	12	11,131	93	11,191	93	11,028	93	11,038	93	11,047
6960	50194301	72	11,114	72	11,169	72	11,106	72	11,048	72	11,062	72	11,036	72	11,081	72	11,14	72	11,126	72	11,101	72	11,088	72	11,069
6961	50195501	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6962	50196101	274	11,117	274	11,134	274	11,113	274	11,113	274	11,112	274	11,107	274	11,113	274	11,114	274	11,118	274	11,117	274	11,115	274	11,111
6963	50196601	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6964	50196801	119	10,918	119	11,001	119	10,936	119	10,94	119	10,985	119	10,928	119	10,851	119	10,962	119	10,974	119	11,003	119	10,99	119	11,006
6965	50199901	28	10,875	28	10,945	28	10,91	28	10,925	28	10,932	28	10,922	28	10,911	28	11,02	28	10,987	28	11,009	28	10,967	28	10,949
6966	50201301	114	10,847	114	10,932	114	10,95	114	10,95	114	10,902	114	10,971	114	11,057	114	11,02	114	10,991	114	11,019	114	11,039	114	10,965
6967	50201501	52	11,152	52	11,195	52	11,115	52	11,072	52	11,084	52	11,053	52	11,1	52	11,159	52	11,15	52	11,11	52	11,101	52	11,094
6968	50202001	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)

Data di estrazione 14-10-2024 10:30

PCS e abbinamento REMI/AOP nei punti di riconsegna																									
		09/2024		08/2024		07/2024		06/2024		05/2024		04/2024		03/2024		02/2024		01/2024		12/2023		11/2023		10/2023	
	REMI	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS	AOP	PCS
6969	50202101	118	10,929	118	10,945	118	10,947	118	10,818	118	10,883	118	10,922	118	10,87	118	10,925	118	10,914	118	10,969	118	10,927	118	10,945
6970	50202201	16	10,966	16	11,019	16	11,034	16	10,96	16	11,018	16	11,033	16	11,043	16	11,051	16	11,019	16	11,034	16	11,077	16	11,051
6971	50202401	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039	84	11,026
6972	50203101	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996	29	10,942
6973	50203401	272	11,153	272	11,224	272	11,114	272	11,057	272	11,051	272	11,031	272	11,069	272	11,124	272	11,135	272	11,181	272	11,09	272	11,073
6974	50204001	76	10,851	76	10,8	76	10,752	76	10,788	76	10,995	76	10,997	76	10,948	76	10,981	76	10,98	76	11,018	76	10,924	76	10,848
6975	50204201	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6976	50204901	169	11,15	169	11,206	169	11,152	169	11,107	169	11,161	169	11,101	169	11,161	169	11,19		-		-		-		-
6977	50206001	26	10,896	26	10,997	26	10,938	26	10,943	26	10,979	26	10,901	26	10,855	26	10,943	26	10,935	26	10,958	26	10,939	26	10,932
6978	50206101	128	10,878	128	10,983	128	10,997	128	10,981	128	11,026	128	10,959	128	11,04	128	11,012	128	11,004	128	10,993	128	11,044	128	11,018
6979	50207001	133	10,896	133	10,899	133	10,938	133	10,812	133	10,929	133	10,923	133	10,84	133	10,831	133	10,945	133	10,979	133	11,005	133	10,889
6980	50211001	84	11,119	84	11,16	84	11,071	84	11,041	84	11,054	84	11,02	84	11,048	84	11,097	84	11,091	84	11,065	84	11,039		-
6981	50214301	33	10,915	33	11,035	33	11,048	33	11,02	33	11,034	33	10,998	33	11,08	33	11,035	33	11,033	33	11,017	33	11,07	33	11,05
6982	50215301	29	10,896	29	10,923	29	10,904	29	10,919	29	10,937	29	10,881	29	10,92	29	10,919	29	10,957	29	10,986	29	10,996		-
6983	50218201	278	10,893	278	11,014	278	11,014	278	10,989	278	11,007	278	10,972	278	11,056	278	11,015	278	11,018	278	10,992		-		-

n.b. agg. = parametro in aggiornamento

PCS in Kwh/Sm3 alle condizioni di riferimento (T=25°C, P=1,01325 bar)